

INDEX TO VOLUME XXV

- Accounts : 1941, 129; 1942, 135; 1943, 221; 1944, 332; 1945, 446.
- Adelphoceras*, 389; *meslerianum*, 389.
- Adelphoceratidae, 391.
- Adiantites*, 168.
- Alethopteris lonchitica*, 182, 361.
- Allotropiophyllum*, 118.
- Alport, boring, 144, 254; Crowstones, 147; Dale, 142, 255, 437; dome, 143; Limestones, 256, 296; Limestone-with-Shales, 256; River, 143; Shales, 147, 256.
- Ammonites, Jurassic, 339; zonal, 339.
- Amoeboceras*, 349; *ilovaiskyi* nom. nov., 350.
- Amplexus*, 197, 206.
- Andesite erratic, 234.
- Ankerite in coal, 131.
- Annual reports : 1941, 127; 1942, 130.
- Annularia*, 183.
- Anthracoceras*, 161, 381, 392; faunal phase, 151.
- Anihracomya bellula*, 139.
- Anihraconauta*, 185.
- Appleton-le-Street, 342, 347.
- Arachniophyllum*, 197.
- ARKELL, W. J., on the zones of the Upper Jurassic of Yorkshire, 339.
- Arley Mine, Burnley, 360.
- Arn Gill, Wensleydale, 101.
- Arnsbergian, 56, 152, 333, 375.
- Ashop, R., 143.
- Aspidoceras*, 345.
- Astbury, Anticline, 320.
- Asterocalamites*, 263.
- Asterophyllites*, 180, 362.
- Asterotheca miltoni*, 182.
- Athleta zone, 344, 354.
- Aulacostephanus*, 343.
- Back-reef facies, 306.
- Bakewell, Derbyshire, 263.
- Balance Sheets : 1941, 129; 1942, 135; 1943, 221; 1944, 332; 1945, 446.
- Ball beds, Jurassic, 342, 346.
- Banks, Sir Joseph, 15.
- BARKER, W. R. (and W. L. Whittle) on the Coal Measure strata of
- BARKER, W. R.—*continued*.
Nostell, near Wakefield, 175; on Coal Measure plants from Brickyard Quarry, Nostell, Yorkshire, 176.
- B[ARKER], W. R., on Nostell Colliery, 131.
- Barnoldswick, 398; Fault, 190.
- Basin sedimentation, 296.
- Bath, geological map, by William Smith, 25.
- Baylei zone, 351.
- Beedale, 342, 347.
- Belbin, Henry Laurence, *in mem.*, 134.
- Beyrichoceras*, 280, 390; age, 280; *delicatum* subzone, 284; *hodderense* band, 297; *hodderense* zone, 281; zones, 280.
- Beyrichoceratids, 390.
- Beyrichoceratoides*, 280, 390.
- Bibliography, supplementary, works by or relating to William Smith, 90; Yorkshire geology 1938-1940, 215, 248; Yorkshire geology 1941 to 1943, 249.
- Binary nomenclature of fossils, 103.
- Biotite, 366; analyses, 369; exfoliation, 368.
- Birdsall, 342, 347, 354.
- Blackburn, 323.
- Black Hall, Craven, 395.
- Bleaklow Hill, 143.
- Blindstone Mine, Burnley, 361.
- DE BOER, G., on a system of glacier lakes in the Yorkshire Wolds, 223.
- Bollandian, 258, 401; zonal division, 258, 274.
- Bolton Abbey, 420.
- Borrowdale erratic, 234.
- Bothrodendron*, 183.
- Boulder clay, purple, 224; drab, 231.
- Boulders, limestone, 133, 205; quartzite, in coal seams, 140.
- Bowland Shales, 136, 260, 403.
- Bracewell Fault, Broughton, 190.
- Brachiopods, Dinantian, 195, 202; Middle Viséan, 281, 290.
- Breccias, limestone, 239, 264.
- Bridlington, overflow at, 229.
- Brockindale Brook, Hognaston, 429.

- Broughton, Anticline, 132, 190;
Beck, 191; Beds, 198; Fault, 190;
Fields quarry, 197, 200; quarry,
133, 205.
- Brows Hill quarry, 133, 200.
- Bryozoa, Viséan, 281.
- Bukowski zone, 346, 354.
- Burnley Coalfield, 359.
- Burst Clough, Pendle, 402.
- Butterhaw, Limestone, 199, 204;
quarry, 133, 193; Shales-with-
Limestone, 199.
- Butterton inlier, 321.
- Butts Quarry, Hunmanby, 225.
- Cadoceras*, 340, 341.
- Calamites*, 131, 183, 362.
- Calamostachys*, 181.
- Calcareous Grit, 342, 354.
- Calcite-mudstones, 257.
- Caldon Low conglomerate, 327.
- Callovian, 340, 354.
- Calloviense zone, 340.
- Calton Limestones, 327.
- Campylites*, 346.
- Caney Shale, U.S.A., 390, 405, 430.
- Caninia*, 133, 197, 201, 206, 327;
phase faunas, 281.
- Caninophyllum*, 201, 281, 327.
- Cannel Mine, Burnley, 360.
- Carbonicola*, *crista-galli*, 359; *ovalis*,
359; *pseudorobusta*, 359, 362; *sub-*
constricta, 259.
- Carcinophyllum*, 121.
- Cardioceras*, 342, 345, 346.
- Cardiopterium*, 168, 261.
- Carey, John, and William Smith, 44.
- Carla Beck, Skipton, 419.
- Carleton-in-Craven, 419; syncline,
190.
- Carpolithus*, 181, 185.
- Castle Howard, 342.
- Castleton shell-reef limestones, 305.
- Cautisnigrae* zone, 348.
- Central Province, Carboniferous,
145, 278.
- Centrocellulosum*, 109; diagnosis, 108;
genotype, 108.
- Chalky Boulder Clay, 236.
- Channels, overflow, 223.
- Chee Tor Beds, 307.
- Cherry Burton, 228.
- Chonetipustula*, 290, 325; Beds, 292.
- Churnet Shales, 147, 320, 437.
- Cinder Hole, overflow channel at,
226.
- Clark, James Edmund, *in mem.*, 331.
- Claviphyllum*, 281; diagnosis, 110;
eruca, ontogeny and phylogeny,
Claviphyllum—*continued*.
112; genotype, 110; *hillae*, n. sp.,
ontogeny and phylogeny, 114;
micromorphic forms, 113, 116;
septal plan, 110.
- Clifford, glacial clay at, 238.
- Clints Delf, Broughton, 133, 193;
Rock, 202.
- Clitheroe, Anticline, 190; Limestone,
193.
- Coal Measure, Flora G, 132, 185;
plant distribution, 186; plants,
176; sedimentation, 176; strata,
175, 359.
- Cock Bridge, Sabden, 137.
- Cockden Bridge, 360.
- Conglomerate, Caldun Low, 327;
limestone, 239.
- Coniston Cold Fault, 190.
- Constrictions, goniatite, 393.
- Coral, Middle Viséan, faunas, 281;
phylogeny, 101; Scottish, 101;
structure, 105; Yoredale, fauna,
101.
- Coral-brachiopod faunas, 281.
- Cordaianthus*, *flagellibracteatus* n. sp.,
178; *nostellensis* n. sp., 179.
- Cordaicarpus*, 181.
- Cordaites*, 131, 184.
- Cordatus zone, 342, 346, 354.
- Cornbrash, 340.
- Coronatum zone, 341.
- Costicardia zone, 346, 354.
- Cottage Crescent, Bath, residence of
William Smith, 73.
- CORTON, G., *see* R. G. S. Hudson.
- Cow Close Sike, Malham, 424.
- Cowdale (Higher) Clough, 398.
- Cowlow, Castleton, 305.
- Cox, L. R., *on* new light on William
Smith and his work, 1.
- Craike Hill, 226.
- Craven, South, Faults, 190; Low-
lands, 191; reef-belt, 300.
- Cravenia*, 206, 327.
- Cravenoceras*, *africanum*, 337; *cow-*
lingense, 162, 336, 381; *darwenense*,
n. sp., 333; *hesperium*, 336;
holmesi, 320, 375; *leion*, 169, 321,
336, 421; *malhamense*, 136, 167,
336; *?nevadense*, 336; *petrenkoi*,
336; *richardsonianum*, 336; *roe-*
meri, 337; *simplex*, 337; *subplica-*
tum, 320, 336, 384.
- Cravenoceratoides*, *bisati*, and diag-
nosis and subzone, 375, 376;
diagnosis, 376; *edalensis*, 162, 379;
fragilis, 161, 320, 376; genotype,
376; *lirifer* n. sp., and diagnosis,

- Cravenoceratoides*—continued.
320, 380; *nitidus*, and zone and subzone, 162, 375, 383; *nititoides*, 161, 383; *stellarum*, and subzone, 162, 375, 380.
- Crawshay, Richard, and William Smith, 15.
- Creniceras*, 345.
- Crinoids, Carboniferous, 133, 203.
- Croasdale Beck, Slaidburn, 418.
- Crossgates quarry, Seamer, 343, 348.
- Crossothea*, 180.
- Crowstones, 147, 320.
- Cryptophyllum*, 206.
- Cyathoclisia*, 195, 281; beds, 194.
- Cyathaxonia*, 101, 196, 206, 281; beds, 292; *cornu* var. *erecta* nov., 120; phase faunas, 281, 296, 325.
- Cymodoce zone, 351.
- Dandy Mine Rock, Burnley, 360.
- Danesdale, col, 223; glacial channel, 225.
- Darwen, R., 333, 430, 437.
- Davidsonina*, [*Cyrtina*] *carbonaria*, 282, 325; Beds, 293.
- D[AVIES], W., on the Don and Little Don, 128.
- Daviesiella*, 202, 281; Beds, 307.
- DAVIS, A. G., on micro-organisms in the Carboniferous of the Alport boring, 312.
- Decipia*, 343.
- Decipiens zone, 349.
- Decomposition, biotite, 370; granite, 367; in peat, 370.
- Derbyshire, massif, 142, 295; reef belt, 300.
- Diaries, William Smith's, 4.
- Dibunophyllum*, 122, 282; zones, 279, 282.
- Dimorphoceras*, 136, 154, 260; faunal phase, 151, 163.
- Dinantian, Alport, 256.
- Dinckley Ferry, Lancs., 405.
- Diplomena*, 178, 363.
- Dolomite-mudstones, 270.
- Don R., 128.
- Dovedale shell-reef limestone, 326.
- Drab Clay, 231, 236.
- Drewton, 342.
- Drift shells, reef limestone, 296.
- DUNNINGTON, H. V., on contemporaneous slumping in the Embsay Limestone series of the Skipton anticline, 239.
- Ecton, Anticline, 322; Limestones, 324.
- Edale, Anticline, 142; boring, 279; shale fauna, 150; Shales, 143, 312, 437.
- Elbolton reef limestone, 304.
- Embsay Limestone, 196, 210, 239.
- Emmonsia*, 206, 279, 322.
- Erratics, glacial, 230, 234.
- Escrick, glacial clay at, 238.
- Estuarine clay, Kirmington, 237.
- Eumorphoceras*, aff. *S. costatum*, 418; age, 151, 320, 375; *angustum* n. sp., 424; *bisulcatum*, 161, 333, 393, 430, and varieties, 162, 393, 430; distribution, 260, 439; genotype, 417; genus, 417; *ornatum*, 153, 438; *proieum*, 158, 434; *pseudobilingue*, 166, 426; relationship, 393, 438; sp. form *A*, 418; sp. form *B*, 419; sp. form *C*, 429; *stubblefieldi*, 420; *tornguisti*, 418, 422.
- Eurymnoceras*, 342.
- Farey, John, and William Smith, 38.
- Fasciculophyllum*, 195, 206, 281, 327; *ambiguum*, 106; diagnosis, 105; genotype, 105; *omaliusi* group, 104; *thomsoni* n. sp., 105.
- Faults, South Craven, 190.
- Fence End quarry, 133.
- Field meeting reports: Broughton Anticline, 132; Don and Little Don, 128; Nostell Colliery, 131.
- Filey, 346, 352; Brigg, 343.
- Five Yards Limestone, 101.
- Flamborough gravel mounds, 225.
- Flora G, Coal Measure, 185.
- Foraminifera, Viséan, 312.
- Fox, THELMA, see R. G. S. Hudson.
- Foynes Island, Ireland, 437.
- Fulledge, Colliery, Burnley, 359; Thin Mine, 360; Trough Faults, 362.
- Gargrave Fault, 190.
- Garton, glacial lake at, 225.
- Gastrioceras cumbriense*, 138.
- Gigas zone, 353.
- Girtyoceras*, *brainerdi*, 415; *brüningianum*, 321, 407, 410; *burhenni*, 410; *complicatum*, 402; *costatum*, 261, 420; *cowdalense* n. sp., 406; *deani*, n. sp., 399; *discus*, 397; distribution, 439; genotype, 397; genus, 390; *leviculatus*, 412; *limatum*, 412; *meslerianum*, 405; *multicameratum*, n. sp., 411; *platyforme*, n. sp., 403; *premeslerianum*, n. sp., 401; relationship, 260, 388, 393, 395, 438; *shorrocksi*,

- Girtyoceras*—continued.
 n. sp., 413; *simplex*, n. sp., 400;
 sp. form *H*, 403; sp. form *J*, 403;
 sp. form *K*, 408; sp. form *L*, 407;
 sp. form *M*, 417; *waitei* n. sp., 415;
weetsense, n. sp., 408.
- Girtyoceratinae, 393, 438.
- Girvanella* band, 307.
- Givendale, Allerston, 346.
- Glacial, clays, 236; erratics, 230;
 lakes, 223; overflow channels, 223.
- Goathland, 234.
- Goethite, 368.
- Goliathiceras*, 345.
- Goniatite, 136, 333, 375, 388; faunal
 phase, 151, 280; structure, 334,
 376, 388; suture, 334, 388; trans-
 verse section, 334, 377, 401.
- Goniatites*, *calyx*, 395; *crenistria*
 zone, 270, 322; *dinckleyensis*, 322;
elegans subzone, 267; *falcatus*, 268,
 321; *falcatus* subzone, 268; *foram-*
inosus, 437; *granosus* subzone,
 261; *granosus* (P₂) zone, 260, 321;
hudsoni, 280, 398; *koboldi* sub-
 zone, 266; *maximus* zone, 280, 398;
mucronatus, 268; *platylobus*, 396;
proteus, 434; *sphaericostriatus* zone,
 264, 323; *spiraloides*, 268.
- Goniatitidae, 391.
- Goniatitinae, 393.
- Gonioglyphioceras*, 391.
- Gonioboceras*, 391.
- Goodmanham, hanging valley at,
 226.
- Goyt Syncline, 320.
- Granite, Shap, 366.
- Gravel, 224.
- Gravesia*, 343, 353.
- Gravesiana zone, 353.
- Great Driffield, 223.
- Great Scar facies, 300.
- Great Wold Valley, 223.
- Grindslow Shales, 143.
- Gulielmites*, 344.
- Gun Hill, boring, 278, 318; Sand-
 stone, 320.
- Hackness Rock, 342.
- Halton East quarries, 197.
- Halton Shales-with-Limestone, 196,
 210.
- Hambleton Oolite, 347, 354.
- Haw Bank Beds, 194; Limestone,
 195; quarry, 195.
- Heasandford brick-pit, 361.
- Heatherstag Hill, 224.
- Hectioceras*, 345.
- Hessle Clay, 223, 236.
- Hesslewood, glacial clay at, 236.
- Heterophyllia*, 121, 281.
- Higher (Cowdale) Clough, 398.
- High Green Wood, 395.
- High Hutton, 342, 345.
- High Littleton, 6.
- Hildenley brickyard, 343.
- Hill Cloughs, Barnoldswick, 415.
- Hippings Lane quarry, 303.
- Hodder, R., 296.
- HODSON, FRANK, on marine bands in
 the Millstone Grit east of Whalley,
 Lancashire, 136; on the correlation
 of the Middle Coal Measures of the
 Burnley coalfield with those of
 south Lancashire, 359.
- Holderness, glacial clays of, 236.
- Holkham sheepshearing, 36.
- Holme Dale glacial channel, 226.
- Holothurian spicules, 317.
- Holywell, Shales, 437; Bridge
 (Skipton), 195.
- Homoceras*, 391; Age, 151, 320;
beyrichianum, 158; *calyx*, 395;
costriolatum, 158; genotype, 395;
henkei, 156; *proteum*, 434; re-
 lationship, 395; *smithi*, 159, 397,
 437; *spiraloides*, 154; *striolatum*,
 136, 153; *subglobosum*, 159.
- Homoceratinae, 391.
- Hope boring, 330.
- Hornsea, glacial clay at, 236.
- Howardian Hills, 354.
- Howchinia bradyana*, 317.
- Howedale, overflow at, 229.
- Hudson, R. G. S. (and Thelma Fox)
 on an Upper Viséan zaphrentoid
 fauna from the Yoredale beds of
 north-west Yorkshire, 101; (and
 G. Cotton) on the Namurian of
 Alport Dale, Derbyshire, 142; on
 the Carboniferous of the Brought-
 ton anticline, Yorkshire, 190;
 bibliography of Yorkshire geology,
 1938-1940, 215; bibliography of
 Yorkshire geology, 1941 to 1943,
 with additions to that of 1939 to
 1940, 248; (and G. Cotton) on the
 Lower Carboniferous in a boring
 at Alport, Derbyshire, 254; on
 the upper Viséan and lower
 Namurian of north Staffordshire,
 318; on the Namurian goniatites
Cravenoceratoides bisati Hudson
 and *Ct. kirifer* n. sp., 375.
- H[UDSON], R. G. S., on the Brought-
 ton anticline, 132; in mem. James
 Edmund Clark, 331; in mem. Eric
 Schofield, 373.

- Hudsonoceras* gen. nov., diagnosis, 433; *foraminosum*, 437; genotype, 433; *lineolatum*, 438; *nodomarginatum*, 438; *ornatum*, 438; *pingue*, 438; *proteum*, 434; *proteum* var., 437; relationship, 393, 438.
- Hugill Dale, overflow channel, 226.
- Hunmanby, 223; Dale, 225; Lake, 224.
- Hutton Bushel, 347.
- Huttons Ambo, 342.
- Hyalostelia*, 260.
- Hydrobiotite, analysis, 369.
- Hypersthene andesite erratic, 235.
- Irrigation, treatise on, by William Smith, 21.
- Jason zone, 341.
- Jonesina arcuata*, 362.
- Jurassic, palaeogeography, 355; of Russia, 355; zones, Yorkshire, 339.
- Keal Hill, Burnsall, 389.
- Kellaways, Rock, 340; Sandstone, 340.
- Kepplerites*, 340.
- Kilham Lane, channel, 228; col, 223.
- Kimeridge Clay, 343, 352.
- Kimeridgian, 343, 351, 354.
- Kinderscout Grit, 137, 143; Syncline, 143.
- Kinderscoutian, 152, 438.
- King Mine, Burnley, 360.
- Kirkdale, 349.
- Kirmington, glacials, 231.
- Knockindown Farm, Hognaston, 429.
- Knowle Top, Pendle, 407.
- Koenigi* zone, 340.
- Koninckophyllum*, 122, 206.
- Kosmoceras*, 341.
- Lakes, glacial, 223.
- Lamberti zone, 344.
- Lamellibranchs, Namurian, 153; Viséan, 260.
- Laminated clay, 224.
- Langerton Hill, Burnsall, 303.
- Lapelli, tuff, 272.
- Lepidodendron*, 183, 362.
- Lepidostrobus*, 362.
- Lime Seam, Burnley, 140.
- Limestone, boulders, 205; dolomitic, 257; fauna, 198; slumping, 239; tuffaceous, 257.
- Lingula*, 132, 176.
- Lithostrotion*, 281; arachnoideum fauna, 297; — chisiophyllum faunal phase, 282; minus (S₂) zone, 291.
- Little Mearley Clough, 403.
- Lob Mill, Todmorden, 434.
- Longnor Sandstone, 320.
- Longstone Beds, 279, 307.
- Low Bottom Mine, Burnley, 362.
- Lowdales, 347.
- Lower Yard Mine, Burnley, 362.
- Lydiatratites*, 353.
- Macrocephalites*, 342.
- Macrocephalus zone, 340.
- Main Wold Valley, 225.
- Malham, 278, 304, 424.
- Malton, 341, 343; Oolite, 343.
- Mam Tor, 437; Sandstones, 143.
- Manchester Coal Measures, 364.
- Manifold, R., 322; Limestones-with-Shales, 327.
- Mariae zone, 345.
- Marine bands, Millstone Grit, 136, 149.
- Mariopteris*, 182, 362.
- Market Weighton, overflow channel, 226.
- Marsdenian, 437.
- Marton, Sinnington, 343, 352.
- Marton Scars, 202.
- Massif (limestone) facies, 306.
- Mearley Clough, Pendle 403
- MELMORE, SIDNEY, on the presence of sodium chloride in certain glacial clays in Holderness, 236.
- Merocanites*, 280.
- Michelinia*, 200, 206, 281.
- Micklethorn quarry, 200.
- Micromorphic corals, 113, 116.
- Middle Limestone, Yoredales, 101.
- Middleton Dale, 279, 330.
- Middleton-on-the-Wolds, glacial lake at, 226.
- Midland embayment, Carboniferous, 295.
- Milleroceras*, 391.
- Millers Dale beds, 307.
- Millstone Grit, 136, 143.
- Mixon, inlier, 298; Limestones, 147, 298, 318, 324; Limestones and Shales, 147, 298, 318, 321.
- Monsal Dale Beds, 279, 307.
- MOORE, E. W. J. on an upper Carboniferous goniatite, *Cravenoceras darwenense* sp. nov., from the Sabden Shales of Lancashire, 333; on the Carboniferous goniatite genera *Girtyoceras* and *Eumorphoceras*, 387.
- Morredge Grits, 147, 320.
- Mudstones, Carboniferous, 148.
- Mutabilis zone, 352.

- Muston, 224.
Myriophyllites, 185.
- Naiadites*, 360.
- Namurian, 142, 333; goniatites, 375, 388; horizon of base, 169; sedimentation, 148; zonal succession, 170; zones, 153.
- Nappa, Limestone, 208; Shales-with-Limestone, 208.
- Neodimorphoceras*, 167, 333.
- Neuropteris*, 131, 161, 182, 362.
- New Field Edge, Barnoldswick, 399.
- New Malton, 351.
- Newboro' Cottage, Scarborough, residence of William Smith, 80.
- Nomismoceras*, 288, 324; beds, 270; *ornatum*, 437.
- Norfolk, description by William Smith, 22.
- North Grimston, 352.
- Nostell Colliery, 131, 140, 175; Brickyard quarry, 131, 176.
- Nuculoceras*, *nuculum*, 160, 320, 333, 375, 430; subzone, 161; zone, 160, 333, 430.
- Nunlow beds, 279.
- Ochetoceras*, 346.
- Odin fissure, Castleton, 305.
- Olivers Mount, 342, 345.
- Onecote Sandstones, 321.
- Orbiculoidea*, 132, 176.
- Osmington Oolite, 348.
- Overflow channels, 223.
- Oxford Clay, 341.
- Oxfordian, 342, 345.
- Oxycone, goniatite, 389.
- Pachycardioceras*, 345.
- Palaeacis*, 206.
- Palaeogeography, Middle Viséan, 309.
- Palaeosmia*, 206, 282; fauna, 197; *murchisoni* (D₁) zone, 283.
- Palaeostachya*, 184.
- Paragoniatites*, 260; *newsomi*, 261; *subcircularis* subzone, 261.
- Parsonage Sandstone, 137, 333.
- Passage Beds, Oxfordian, 346.
- Pavlovia*, 343.
- Pavloviceras*, 345.
- Pebble-earth, 224.
- Peckondale Hill, 341.
- Pectinatites*, 343.
- Peltoceras*, 342, 344.
- Pendle, 278; Top Grit, 136.
- Pendleian, 152, 420.
- Pendleside Limestone, 296; facies, 300.
- Perisphinctes*, 343, 348.
- Permia*, 206, 281.
- PHEMISTER, J., note on an erratic block at Randy Mere, near Goathland, Yorkshire, 234.
- Phillibole*, 293.
- Phillips, John, 9.
- Pickering, 343; Lake, 224.
- Pictonia*, 343, 351.
- Pindale, Castleton, 307.
- Pinnularia* 131, 185.
- Plants, Coal Measure, 131, 176, 362; South Wales, 186.
- Plate-with-girdles, 101.
- Platycone goniatite, 389.
- Plexus, discussion on, 102.
- Plicatifera*, 202, 281, 327.
- Plicatilis zone, 347, 354.
- Poikilitic texture, 168, 272.
- Porphyritic andesite erratic, 234.
- Posidonia*, 145, 260, 267.
- Poyllvaish reef limestones, 302.
- Praeordatum zone, 345.
- Preface, uncompleted, to *Natural order of Strata* by William Smith, 81.
- Prestatyn, shell reef, 300.
- Priestcliffe Beds, 279, 307.
- Priorsy Seam, Burnley, 140.
- Prolecanites* Beds, 285.
- Proplanulites*, 341.
- Provasenia*, 351.
- Pseudocadoceras*, 341.
- Pseudochaetetes* [*Solenopora*], 195.
- Pseudocordata zone, 350.
- Pseudomutabilis zone, 352.
- Pseudopeltoceras*, 344.
- Pule Hill, Marsden, 437.
- Pustula*, 202, 281.
- Pyrites, in shale, 149.
- Quartzite boulders, 140.
- Quenstedtoceras*, 342, 345.
- Radiolaria, Namurian, 312.
- Rain Hall quarry, 211.
- Randy Mere, erratic at, 234.
- Rasenia*, 343.
- Red Rab [Old Red Sandstone], 29.
- Redcliff, boulder clay, 236.
- Redland [Magnesian] Limestone, 29.
- Reef-limestone, 326; facies, Derbyshire and Craven, 300; fauna, 282; goniatite succession, 301.
- Resin layers in coal, 131.

- Reticuloceras*, 391, 393; Age, 151, 320; *co-reticulatum*, 137, 153; *dubium*, 153; *gracile*, 137; *inconstans*, 153; *moorei*, 137; *nodosum*, 153; *reticulatum*, 153; *stubblefieldi*, 155; *todmordenense*, 153.
 Revidge Grit, 137.
 Rhenish Schiefergebirges, 274.
Rhodea, 168; *wrighti* n. sp., 178.
Rhopalolasma, 197, 205, 281; fauna, 206, 282.
 Ribble, R., 405.
 Richardson, Rev. B., 13.
Ringsteadia, 343.
 Risby Park overflow channel, 227.
 Rochdale, Coal Measures, 364.
 Roecliffe, laminated clay, 238.
 Roope, asst. to William Smith, 19.
Rotiphyllum, 106, 197, 206, 281, 292, 322; diagnosis, 106; genotype, 106.
 Rough Lee, Sabden, 437.
 Rudston, 223; glacial lake, 225.
 Rugborne, residence of William Smith, 71.
 Ruston Parva overflow channel, 228; erratics, 230.
 Rylstone, coral fauna, 298.
Rylstonia, 206, 281, 283, 292, 325.
 Sabden, Shales, 136, 333, 430, 437; Valley, 136, 437.
 Sabdenian, 152, 434.
 Saddleworth Geological Society, 373.
Sagittoceras, *acutum*, 388; *costatum*, 415, 418, 419; *discus*, 397; genus, 388; relationship, 388; *torquisti*, 169.
 Saintoft Grange, Pickering, 346.
Samaropsis, *pyriformis*, n. sp., 179; sp. 131, 185.
 Samlesbury Bottoms, 333, 430, 437.
 Scarborough, 344; residence of William Smith, 80.
 Scarburgense zone, 345.
Scarburgiceras, 345.
 Schofield, Eric, *in mem.*, 373.
 Seamer, 348.
 Sections, geological, of William Smith, 8.
 Sedimentation, Middle Viséan, 309.
 Shafton, Marine-bands, 131, 175.
 Shale Grit, Edale, 143.
 Shales, Carboniferous, 148.
 Shales-with-Limestone, 193.
 Shap granite, 366.
 Shards, volcanic, 272.
 Shell-reef, facies, 295; fauna, 282; goniatite succession, 301; lithology, 282.
Sigaloceras, 340, 342.
 Siltstones, Carboniferous, 149.
 Six Inch Mine, Burnley, 302.
 Skibeden Shales-with-Limestone, 198, 207.
 Skipton, Anticline, 190, 239; Bollandian, 278; Castle Limestone, 195; Castle Limestone-with-Shales, 195, 210.
 Slaidburn, 278, 418.
 Slumping, limestone, 239.
 Smellows quarry, Broughton, 133, 202.
 Smith, William, diaries, 4; geological sections and maps, 8; MSS. at Oxford, 4; places of residence, 71; published works, 53; self-portrait, 1.
 Snake Bed, Osmington Oolite, 348.
 Snape Hill, Kilburn, 343, 349.
 Sodium chloride in glacial clays, 236.
Solenopora, 195, 327.
 South Cave, 340, 342.
 South Ferriby, 352.
 Sowerby, J., and William Smith, 54.
 Species-plexus, discussion, 102.
 Speeton, 223, 343, 353.
Sphenophyllum, 131, 181, 184, 362.
Sphenopteris, 168, 182.
 Staffordian, 185.
 Staffordshire, north, 278, 318.
 Stanley Main Coal, 140.
 Station Quarry beds, 279, 307.
 Stebden, Cracoe, 304.
Stigmara, 167, 183.
 Stonebarrow Cliff, Charmouth, 8.
 St. George's Land, 295.
 Strand line, 100 ft., 231.
 Strata identified . . . , William Smith's, 53.
Subdichotomoceras, 353.
Subplanites, 343.
Sudeticeras, 260, 262.
 Suture, goniatite, 394.
 Swanland, 223.
 Swinden Anticline, 132, 191; Limestone, 208; Shales, 208; (Cracoe) quarries, 304.
 Swint Clough, Alport, 148.
Syringopora, 200, 206, 281.
Taramelliceras, 345.
 Third Set Limestone, Yoredales, 317.
 Thorncliff Sandstones, 320.
 Thornton, Anticline, 132, 190, 211; Limestone, 198; quarries, 211; Shales-with-Limestone, 198, 210.
 Thorntondale, 343.

- Thorpe Kail, Burnshall, 304, 389.
 Todmorden, 434, 438.
 Toft Hill Shales, 208.
 Tournaisian, boundary, 199.
 Townsend, Rev. Joseph, 13.
 Treak Cliff, Castleton, 305.
Triplophyllites, 281, 322.
 Trousdale Hill, Malton, 345.
 Tucking Mill, residence of William Smith, 73.
 Tuff, 257, 272.
 Tuffaceous limestone, 257, 271.

 Unconformity, mid-Dinantian, 208.
 U[PTON], A. E., in *mem.* Henry Laurence Belbin, 134.

Vaughania, 200.
 Vermiculite from biotite, 368.
Vertebriceras, 346.
Virgatosphinctoides, 342.
 Viséan, boundary, 199, 260; coral fauna, 101, 281; goniatites, 258, 388; Middle, 280; Upper, 258; zones, 258, 282.
 Vitric tuffs, 272.

 WAGER, L. R., on a stage in the decomposition of biotite from the Shap granite, 366.
 Warner, Rev. Richard, and William Smith, 31.
 Waterhouses, Staffordshire, 419.
 Weathering, granite, 367.
 Weaver Hills, 327.
 Weets Hill, Barnoldswick, 397.
 Wensleydale, coral fauna, 101.
 West End Valley, 153.
 Whalley, Lancashire, 136.

 Wheatleyensis zone, 353, 355.
 Whinney Gill, Skipton, 408, 415, 424.
 WHITTLE, W. L., on the occurrence of quartzite boulders in the Stanley Main Coal at Nostell, near Wakefield, 140; *see* W. R. Barker.
Wiedeyoceras, 391; *lineolatum*, 438; *nodomarginatum*, 438; *pingue*, 438; *sanctijohannis*, 438.
 Wigan Coal Measures, 364.
 Wilpshire Grits, 136.
 Woburn sheep-shearing, 15.
 Wolds, Yorkshire, 223.
 Woodham, Scarborough, 345.
 Woodlands valley, Alport, 143.
 Wredon Hill limestone, 327.
 Wydale, Brompton, 347.
 Wye valley, 279, 306, 330.

 Yoredale coral fauna, 101.
 Yorkshire, geological section by William Smith, 61; residences of William Smith, 79.
 YORKSHIRE GEOLOGICAL SOCIETY :
 Accounts, 1941, 129; 1942, 135; 1943, 221; 1944, 332; 1945, 446.
 Annual report, 1941, 127; 1942, 130. Field meetings, 1941, 128; 1942, 131. List of members, 1944, v.

Zaphrentis, 101, 118, 197, 206; *konincki* limestones, 133, 194; *oystermouthensis* and allied forms, 117; validity, 117.
Zaphrentites, 106, 120, 197, 206, 281.
 Zaphrentoid coral fauna, 101.
Zaphrentoides, 117.
Zeilleria delicatula, 362.