

INDEX TO VOLUME 45

General Index

Boreholes  
 Chronostratigraphical units  
 Fossils (described and figured)  
 Lithostratigraphical units  
 Localities  
 Minerals

GENERAL INDEX

acritarchs, Tremadoc 123-127  
 aeolian sands, Permian 11-18  
 'agate-ball' structure 302-304  
 ALEXANDER, J., discussion of paper 297-298  
 Alston Block 45, 67-69, 71-82, 199-206  
 ammonoids, Namurian 219-224  
 Askrigg Block 20, 24, 91-97  
 basalt, Cockermouth lavas 141-145  
 bentonites, Cretaceous 235-245  
 bivalve ecology, Westphalian 27, 32-33  
 cannel, Clowne Seam 35  
 chalk 235-248  
 Cheviot Block 74  
 clay mineralogy 102-103, 193-194  
 coal petrography, Clowne Seam 163-172  
 coal seam, volcanic disturbance 249-259  
 coal seam splits 85-88, 168  
*Cochlichnus kochi* 183-187  
 computer curation system 172  
 crinoids, Chadian 179-182  
 cross-bedding, Yellow Sands 11-18  
 Cumbria, hematite deposits 130  
 Cumbria, field meeting 131-132  
 Cumbria, field meeting 137-138  
 Cumbria, Cockermouth lavas 141-146  
 Cumbria, mineralisation 59-65  
 Cumbria, minerals 199-205  
 Cumbrian hematite deposits 130, 137-138  
 curation, ROCKFILE system 173-178  
 Derbyshire, Clowne Seam, etc. 27-43  
 Derbyshire, Woo Dale Limestones 225-233  
 Derbyshire Dome 225-233  
 dinoflagellate cysts, Toarcian 109-122  
 DODD, M. B. 137-138  
 dolerite, geochemistry 1-10  
 Durham Coalfield 85-87  
 Durham County, Yellow Sands 11-18  
 dustfall, aeolian 307-309  
 EAGAR, R. M. C., discussion of paper 43  
 East Pennine Coalfield 163-172  
 faults, throw and hade contours 147-167  
 felsite, petrography 302-304  
 foraminifera, Cretaceous 235-248  
 FORD, T. D., field meeting 133-136  
 FRANCIS, E. H., Sorby Medallist 140  
 geochemistry, groundwater survey 91-97  
 geochemistry, Whin Sill 6-9  
 geochemistry, Cockermouth lavas 142-144  
 geochemistry, sphalerite trace elements 212-214  
 geothermometry, sphalerite 217  
 goniatites, Namurian 219-224  
 GOWING, G. S., obituary 309-310  
 graptolites, Silurian 131  
 hydrocarbons, methane 67-69  
 Iapetus Ocean 47, 71ff., 141ff.  
 ignimbrite, Stockdale Rhyolite 299-306  
 ironstone seams, Lias 261-275  
 Isle of Man, field meeting 133-136  
 JOHNSON, G. A. L., field meeting 131-132  
 KIMBER, R. N. field meeting 131-132  
 Lake District, Stockdale Rhyolite 299-306  
 Kincardine Basin 249-259  
 Lake District, Tremadoc 123-127  
 LAMMING, P. D., obituary 309  
 lapillae, Stockdale Rhyolite 299  
 lead, in groundwater 93  
 LEEDER, M. R., discussion of paper 296-297  
 lignite, compaction 169  
 magnetic susceptibility, Whin Sill 3-9  
 Market Weighton High 261-275  
 methane, Carboniferous limestone 67-69  
 mineralisation, Whin Sill 6  
 mineralisation, Cumbria 59-65  
 mineralisation, Northern Pennine Orefield 91-97, 199-206  
 mineralisation, South Pennine Orefield 136-137, 207-218  
 mineralogy, L. Jurassic sediments, Scotland 189ff.  
 mineralogy, sphalerite 207-218  
 Northern Pennine Orefield 91-97, 199-206  
 North Sea, mid-Cretaceous 235-248  
 North Sea Basin 235-248  
 Northumberland, Dinantian 45-49  
 Northumberland, Whin Sill 1-10  
 Northumberland Basin 71-73, 141ff.  
 Northumberland Trough 1-10, 45-49, 71-83  
 north-west England, crustal structure 19-25  
 ostracods, mid-Cretaceous 235-248  
 palaeobotany, M. Jurassic 277-292  
 palynomorphs, Westphalian 38-39  
 palynomorphs, Toarcian to Aalenian 109-122  
 palynomorphs, Tremadoc 123-127  
 peat, compaction 163-172  
 Pennines, geochemical drainage survey 91-97  
 Pennines, methane, mineralisation 67-69  
 Pennines, mineralisation 136-137  
 Pennines, minerals 199-206, 207-218  
 petrography, Clowne Seam 34-38  
 petrography, Cockermouth lavas 142  
 petrography, Stockdale Rhyolite 302-304  
 phosphate nodules, Lias 103  
 plant ecology, Westphalian 42  
 plants, Middle Jurassic 277-291

*quarzlagen*, Clowne Seam 36-38  
 ROCKFILE curation system 172  
 Scotland, L. Jurassic 189-197  
 Scotland, Namurian volcanoes 249-259  
 sedimentary structures, cross-bedding 11-18  
 sedimentation, Northumberland Trough 71ff.  
 sedimentation, Permian 11-17  
 sedimentation, Toarcian 99-108  
 sedimentation, Westphalian 27-43  
 seismic refraction survey, N.W. England 19-25  
 Solway Basin 71ff.  
 Sorby Medal 140  
 structural data plotter 129  
 structure, Tynedale region 45-49  
 tectonism, Northumberland Trough 71ff.  
 tectonism, Cocker mouth lavas 141-145  
 trace fossils, Westphalian 183-187  
 trilobites, Tremadoc 123-127  
 TURNER, J. SELWYN, obituary 138-139  
 Tweed Basin 74  
 volcanic necks, pipes 249-259  
 volcanism, Cocker mouth lavas 141-146  
 West Cumberland Hematite Ore field 130, 137-138  
 WRIGHT, J. K., field meeting 132-133  
 Yoredale cyclothem 71-73  
 Yorkshire, Aalenian 109-122  
 Yorkshire, Lias Group 51-57, 261-275  
 Yorkshire, field meeting 132-133  
 Yorkshire, Middle Jurassic plants 277-292  
 Yorkshire, Scalby Formation 293-298  
 Yorkshire, Toarcian 99-108, 109-122  
 YOUNG, B., field meeting 137-138

## BOREHOLES

Brown Moor 53-56, 267ff.  
 Eyam 229  
 Felixkirk 51ff., 267ff.  
 Lossiemouth 189-1197  
 Ryder Point 229  
 Settlingstones 46  
 Stonehaugh 45ff.  
 Whitwell-on-the-Hill 52ff.  
 Wykeham No. 1 52ff.

## CHRONOSTRATIGRAPHICAL UNITS

### Carboniferous

General 71-82  
 Arnsbergian 219-224  
 Chadian 179-182  
 Dinantian 45-49, 71-73, 141-146, 225-233  
 Namurian 219-224  
 Westphalian 27-43, 85-89, 147-161

### Cretaceous

General 235-248  
 Albian 235-248  
 Aptian 235-248  
 Barremian 235-248  
 Cenomanian 235-248  
 Turonian 235-248

### Jurassic

Aalenian 109-122  
 Oxfordian 132-133  
 Toarcian 99-108, 109ff.  
 Ordovician  
 Tremadoc 123-127

## FOSSILS (described and figured)

(Figures are referred to by page number only. \* indicates type descriptions.)

*Acanthodiacrodium rotundatum* 124  
*Acanthodiacrodium* cf. *tumidum* 124  
*Androstrobus* sp. nov. 281, 283  
*Apatocythere* (*Apatocythere*) *simulans* 242  
*Araucarites phillipsii* 287  
*Arenobulimina advena* 240  
*Arenobulimina chapmani* 240  
*Arenobulimina macfadyeni* 240  
*Asturoceras romanum* 220-221\*  
*Bairdoppilata* sp. 243  
*Beania* sp. indet. 283  
*Brachyphyllum mamillare* 287  
*Cladophlebis* sp. (cf. *C. denticulata*) 281  
*Cochlichnus kochi* 185  
*Coniopteris hymenophylloides* 281  
*Coniopteris murrayana* 281  
*Conorotalites aptiensis* 240  
*Crenaverneulina intermedia* 240  
 ?*Cymatigalea membrana* 124  
*Cythereis* (*Rehacythereis*) *bekumensis* 242  
*Cythereis* (*Rehacythereis*) *sutterbyensis* 242  
*Cytherelloidea* cf. *anomala* 242  
*Elatides thomasi* 287  
*Equisetum beania* 280  
*Equisetum columnare* 280  
*Escharisphaeridia* sp. 113, 114  
*Euryitycythere* sp. 242  
*Eyachia prisca* 115, 116  
*Facetodinium inflatum* 115, 118  
*Gavelinella baltica* 240  
*Gavelinella* cf. *barremiana* 240  
*Gavelinella cenomanica* 240  
*Gavelinella* ex gr. *intermedia* 240  
*Gaudryina dividens* 240  
*Glomospira* ex gr. *gaultina* 240  
*Haplophragmoides chapmani* 240  
*Haplophragmoides nonionioides* 240  
*Hedbergella infracretacea* 240  
*Impluviculis stellaris?* 124  
*Lenticulina* (*Astaculus*) *crepidularis* 240  
*Lenticulina* (*Astaculus*) *schloenbachi* 240  
*Lenticulina* (*Lenticulina*) *gaultina* 240  
*Lenticulina* (*Lenticulina*) *heiermanni* 240  
*Lenticulina* (*Lenticulina*) *ouachensis* 240  
*Lenticulina* (*Lenticulina*) *pulchella* 240  
*Lenticulina* (*Lenticulina*) *secans* 240  
*Lenticulina* (*Marginulinopsis*) *acuticostata* 240  
*Lenticulina* (*Saracenia*) *spinosa* 240  
*Lenticulina* (*Vaginulinopsis*) *reticulosa* 240  
*Lycopodites falcatus* 280  
*Mancodinium semitabulatum* 115  
*Metadimorphoceras ribblense* 222  
*Metadimorphoceras saleswheelense* 222-223

- Michhystridium shinetonense* 124  
*Nannoceratopsis ambonis* 113, 114  
*Nannoceratopsis dictyambonis* 113, 114  
*Nannoceratopsis gracilis* 113, 114  
*Nannoceratopsis tricerias* 113, 114  
*Nemoceratina* sp.  
*Neocalamites* sp. cf. *N. hoerensis* 280  
*Nilssonia tenuinervis* s.l. 281  
*Niobina davidis* 124  
*Otozamites simpsoni* 283  
*Paracypris acuta* 242  
*Paracytheridea minutissima* 242  
*Paranotacythere (Paranotacythere) inversa tuberculata* 242  
*Paranotacythere (Paranotacythere) luetigii tuberculata* 242  
*Parvocysta* cf. *barbata* 117, 118  
? *Parvocysta* cf. *cracens* 117, 118  
*Parvocysta nasuta* 117, 118  
*Peltocare olenoides* 124  
*Phallocysta eumekes* 118, 119  
*Platella* sp. 243  
*Pontocyprilla rara* 242  
*Protocythere intermedia* 242  
*Protocythere mertensi langtonensis* 242  
*Pseudoctens lanei* 281  
*Saxocythere tricostata tricostata* 242  
*Saxocythere tricostata subglabra* 242  
*Saxocythere* cf. *tenuissima* 242  
*Schuleridea rhomboidalis* 242  
*Schuleridea derooi* 242  
*Schuleridea hammi* 242  
*Scrimiocassis weberi* 120  
*Stelliferidium fimbrium* 124  
*Veeniacythereis acuticostata* 242  
*Veryhachium minutum* 124  
*Vulcanisphaera africana* 124  
*Vulcanisphaera cirrita* 124  
*Wallodinium cylindricum* 118, 120  
*Weltrichia* sp. nov. 284  
*Williamsonia gigas* 283-285

## LITHOSTRATIGRAPHICAL UNITS

(\* denotes formal definition)

- Acre Limestone 68  
Alum Shale Member 56\*, 105-106, 109ff.  
Applethwaite Member 299-300  
Avicula Seam 269  
Bath-House Wood Limestone 46  
Bee Low Limestones 226  
Black Mudstone Band (Westphalian) 27, 32-33  
Blackshale Seam 165  
Blea Wyke Sandstone Formation 104-105\*, 110-112  
Bogside volcanic neck 249-259  
Brockwell Coal 85-88  
Cautley Volcanic Formation 299  
Cementstone Group 74ff.  
Chalk Group 245  
Cleveland Ironstone Formation 54-55\*, 265-268  
Clowne Marine Band 27ff.  
Clowne Ostracod Bed 29-30  
Clowne Seam 27-43  
Coal Measures 19, 23, 85-89, 147-168  
Cockermouth lavas 141-146  
Cockleshell Limestone 46  
Colwell Limestone 46  
Coniston Limestone Formation 299  
Cravenoceras cowlingense Marine Band 219ff.  
Cromer Knoll Group 245  
Dam Dale Member 225-233  
Deep Soft Seam 39  
Dogger Formation 104, 109ff., 278-279  
Eelwell Limestone 46, 68, 74  
Eston Shell Beds 272  
Eumorphoceras Yatesae Marine Band 219ff.  
Fell Sandstone Group 74ff.  
Four Fathoms Limestone 68, 79  
Fox Cliff Siltstone Member 106\*, 110ff.  
Great Limestone 68, 74ff.  
Grey Shale Member (Toarcian) 55-56\*  
Grey Sandstone Member (Toarcian) 105\*, 110ff.  
Grosmont Pecten Beds 271-272  
High Haume Rhyolite 299  
Jet Rock Member 56\*  
Kettlewell Member 269-262\*  
Latterbarrow Sandstone 123ff.  
Lias Group 51-57, 52\*, 99-108, 109-122, 261-275  
Lower Limestone Group 74ff.  
Long Nab Member 293-298  
Longsleddale Member 299-300  
Lower Limestone Group 74ff.  
Main Seam 266-274  
Marlstone Rock Bed 274  
Middle Limestone Group 74ff.  
Moor Grit Member 293-298  
Old Red Sandstone 135  
Osmotherly Seam 269  
Overton volcanic neck 249-255  
Peak Mudstone Member 106\*, 110ff.  
Pecten Seam 266ff.  
Penny Nab Member 268-269\*  
Raisdale Seam 269  
Red Chalk 235-248  
Redcar Mudstone Formation 53\*  
Sabden Shales 219-224  
Saltwick Formation 277-292  
Sandbanks Limestone 68  
Scalby Formation 293-298  
Scremerston Coal Group 74ff.  
Shotto Wood Limestone 46  
Skiddaw Group 123ff.  
Staithes Sandstone Formation 53-54\*, 262-274, 262-265\*  
Stile End Member 299-300  
Stockdale Rhyolite Member 299-306  
Stockdale (Yarlside) Rhyolite 299-306  
Sulphur Band (Pliensbachian) 272  
Sun Vein 1  
Three Yards Limestone 68, 79  
Threequarter Coal 85ff.  
Top Bright Seam 167  
Top Main Dogger 267-268  
Topley Pike Member 225-233  
Two Foot Seam 269  
Upper Hirst Seam 249-259  
Upper Limestone Group 74ff.  
Vincent House Member 225-233  
Whin Sill 1-10, 45-49  
Whitby Mudstone Formation 55\*, 99-108, 109-122

Woo Dale Limestone Formation 225-233  
 Yarlside Rhyolite 299-306  
 Yellow Sands (Permian) 11-18  
 Yellow Sandstone Member (Toarcian) 105\*, 110ff.

#### LOCALITIES

Alstonfield 225-233  
 Arcow 19ff.  
 Belman Quarry 179  
 Blagill Mine 202  
 Bothel 141  
 Botton Head 267ff.  
 Brownley Hill Mine 204  
 Busby Moor 267  
 Caldbeck Fells 59-65  
 Clitheroe 179-182  
 Cloughton Wyke 293  
 Dent 91-97  
 Eston 267ff.  
 Ferryhill 16  
 Great Ayton 267-269  
 Grosmont 271-272  
 Hartington 225-233  
 Hawsker Bottoms 54ff., 264-271  
 Holmepark 19ff.  
 Ingleton 19, 23, 91-97  
 Isle of Man 133-136  
 Kettleiness 266ff.  
 Little Mell Fell 141ff.  
 Longannet Mine 249-259  
 Lunchead Mine 203  
 Newbrough 1-10, 46-48  
 Oddendale 19ff.  
 Osmotherly 267ff.  
 Outscar 19ff.  
 Peak Forest 225-233  
 Quarrington 16

Ravenscar 99-108, 109-122  
 Rookhope 67ff.  
 Salthill Quarry 179-182  
 Settlingstones 45-48, 202, 204  
 Shap Wells 131-132  
 Sherburn Hill 13-16  
 Skelton 267  
 Staithes 264-266  
 Steel Rigg 46  
 Westhead 179  
 Wet Swine Gill 59-65  
 Wrack Hills 277-292  
 Wye Valley 225-233  
 Yons Nab 293

#### MINERALS

alstonite 199-206  
 barytocalcite 199-206  
 bindheimite 59-64  
 chalcopyrite 207ff.  
 dickite 277ff.  
 fulloppite 59ff.  
 galena 6, 207, 214  
 hematite 130  
 illite 192ff.  
 kaolinite 192ff., 277ff.  
 mica 192ff.  
 pyrite 6, 35, 207ff.  
 quartz 36-38, 192-198, 60-62  
 semseyite 59ff.  
 siderite 103  
 smithsonite 207ff.  
 sphalerite 207-218  
 stibiconite 59ff.  
 stibnite 59-64  
 witherite 199ff.  
 zinckenite 59ff.

# Instructions to Authors

The *Proceedings of the Yorkshire Geological Society* is a biannual publication that caters for original research papers on all aspects of geology. Emphasis is placed on (i) papers relating to the geology of the North of England (but including aspects of more than local interest) and (ii) papers of general geological interest. Papers should normally be between 3000 and 15000 words in length, including allowances made for references and text-figures (a full printed page consists of c. 1200 words). Shorter contributions will be published as 'Short Communications'; longer contributions should not be submitted without prior consultation with the Chief Editor. Review papers are normally published by invitation only, but ideas for a review paper may be submitted to the Chief Editor for assessment by the Publications Committee.

## 1. SUBMISSION OF PAPERS

Papers are welcome from *Society* members and non-members alike.

Three complete copies of papers should be submitted to the Editor. Typescripts should be in their final form, and should be arranged according to the layout used in the current issue of the *Proceedings* (see below for details). Typescripts that deviate excessively from the standard layout will be returned to the authors for modification. Three *photographic* copies of all illustrations, at final publication size, should also be submitted. Originals of illustrations should be retained until requested.

## 2. PREPARATION OF PAPERS

### 2.1. Typescripts

Typescripts should be double-spaced throughout (including references and figure captions), with each page numbered serially; A4 size is preferred. *Only* the first order headings should be typed in capitals. The typescripts should be arranged as follows:

1. Title, which should be concise yet informative. The title should be typed in *lower case*.
2. Summary. This should not exceed 250 words, and should be a self-contained summary of the main achievements of the paper and *not* a mere statement of the scope and contents of the paper.
3. Main text. This should be organised according to the system of headings described in section 2.4. Reference to text-figures may be made thus: Figure 1 *or* (Fig. 1). Examples of references to the literature are: Young & Bird (1822) *or* (Young & Bird 1822) – note the absence of a comma in the latter. Where the reference involves three or more authors, the first author only should be given, followed by *et al.* Cross-references in the text may relate to the relevant numbered section, rather than to a page number. Intended locations of text-figures and tables should be indicated in the left-hand margin. Words to be printed in italics should be underlined.
4. Appendices, if necessary.
5. References (see section 2.4).
6. Names and full postal addresses of authors.
7. Tables, each typed on a separate sheet, together with its caption.
8. List of figure captions, typed on a separate sheet.
9. A list of contents should be provided on a separate sheet.

### 2.3. Headings

Four grades of heading are normally used in the *Proceedings*:

#### 1. FIRST-ORDER HEADING

**1.1. Second-order heading.** Text follows on next line.

**1.1.1. Third-order heading.** Text follows on next line.

**Fourth-order heading.** Text follows on same line.

In certain circumstances (e.g. where there are frequent short sections) it may be decided to vary this arrangement. The *introductory section* should not be numbered; the heading 'Introduction' may, for clarity, be used on the typescript, although it will not be used in the printed paper. The first line of the first paragraph following each heading should begin at the left-hand margin (no indent).

### 2.4. Reference list

References involving five or more authors should be cited as the first author's name followed by *et al.* In both periodical and book titles capital letters should be used for proper nouns only (except in German titles, where all nouns should possess capitals).

*Periodical titles* should be abbreviated in part or in full, at the discretion of the author, according to British Standard 4148 (1975: *The abbreviation of titles of periodicals. Part 2. Word abbreviation list.* British Standards Institution, London); this is equivalent to International Standard (ISO) 833 (1974: *Documentation – International list of periodical title word abbreviations*). If neither of these is available, words whose abbreviations cannot be obtained from earlier parts of the *Proceedings* (Vol. 45 onwards) may be submitted in full. Alternatively, a list of recommended abbreviations may be obtained from the Editor. The standard layout is shown in the following examples; much editorial time can be saved if attention is paid to such details as punctuation. Authors' names should be given in lower case in the typescript.

Barrow, G. 1888. The geology of North Cleveland. *Mem. Geol. Surv. G.B. H.M.S.O.*, London.

Black, M. 1934. Sedimentation of the Aalenian rocks of Yorkshire. *Proc. Yorkshire Geol. Soc.* **22**, 265-279.

Trotter, F. M. & Hollingworth, S. E. 1928. The Alston Block. *Geol. Mag.* **65**, 433-448.

*Book titles* should be arranged as in the following examples. Note that capital letters are used for proper nouns only (except in German titles).

Arkell, W. J. 1933. *The Jurassic System in Great Britain.* Clarendon Press, Oxford.

Rayner, D. H. & Hemingway, J. E. (editors). 1974. *The geology and mineral resources of Yorkshire.* Yorkshire Geological Society.

Dunham, K. C. 1974. Epigenetic minerals. Pp. 293-308 in Rayner, D. H. & Hemingway, J. E. (editors): *The geology and mineral resources of Yorkshire.* Yorkshire Geological Society. (*Or, if the source book is quoted more than twice:* Pp. 293-308 in Rayner, D. H. & Hemingway, J. E. q.v. – *quoted as a separate reference*).

### 2.5. Illustrations

Illustrations may be prepared to fit a printed column width of 85mm or a page width of 176mm. The printed page height is 250mm. If it is intended that the caption be placed beneath a full-page illustration, the height of the latter will need to be modified accordingly. Line drawings should be draughted at 1½ times the final printed size, on good quality white paper or plastic tracing paper. Lettering should be no less than 1mm in height on reduction. Half-tone illustrations should be high-quality glossy prints with good contrast; magnification should be indicated by means of a scale bar on the photograph or, if this is not possible, in the figure caption. All half-tone illustrations are referred to as Figures, not Plates. In composite illustrations the individual photographs should be labelled 1, 2, 3, etc. or A, B, C, etc. Where possible, labels should be on the photographs, not in the space between.

### 2.6. Tables

These should be designed to column width (85mm) or page width (176mm) and should be submitted, with captions, on separate sheets. They are normally set up in type, but the author's tabulation may be used if the lettering is of suitable quality.

## 3. PROOFS AND OFFPRINTS

Galley proofs and page proofs will be sent to each author (or designated author in the case of multi-author papers). Twenty-five free offprints per paper are provided; additional copies may be purchased and should be ordered when page proofs are returned.

**Parts and numbers** (papers published individually) already issued and still in print may be bought from the Librarian, from whom a list of available publications may be obtained

**Acknowledgement.** Some of the Figures published in the *Proceedings* contain a grid. Unless otherwise specified, this grid is the National Grid taken from the Ordnance Survey map with the permission of the Controller of Her Majesty's Stationery Office.

# PROCEEDINGS OF THE Yorkshire Geological Society

VOLUME 45    PART 4    DECEMBER 1985

## CONTENTS

	<i>page</i>
<b>K. Schofield and A. E. Adams</b> Stratigraphy and depositional environments of the Woo Dale Limestones Formation (Dinantian), Derbyshire	225
<b>G. K. Lott, K. C. Ball and I. P. Wilkinson</b> Mid-Cretaceous stratigraphy of a cored borehole in the western part of the Central North Sea Basin	235
<b>J. A. M. Barnett</b> Fracture patterns related to volcanic necks and pipes in an Upper Limestone Group (Namurian) coal seam in the Kincardine Basin, West Fife, Scotland	249
<b>A. S. Howard</b> Lithostratigraphy of the Staithes Sandstone and Cleveland Ironstone formations (Lower Jurassic) of north-east Yorkshire	261
<b>C. R. Hill, D. T. Moore, J. T. Greensmith and R. Williams</b> Palaeobotany and petrology of a Middle Jurassic ironstone bed at Wrack Hills, North Yorkshire	277
<b>M. J. Fisher and N. J. Hancock</b> The Scalby Formation (Middle Jurassic, Ravenscar Group) of Yorkshire: reassessment of age and depositional environment	293
<b>D. Millward and D. J. D. Lawrence</b> The Stockdale (Yarlside) Rhyolite – a rheomorphic ignimbrite?	299
Short Communication	
<b>D. A. Wheeler</b> An analysis of the aeolian dustfall on eastern Britain, November 1984	307
Obituaries	309
<b>Index to Vol. 45</b>	311