

INDEX TO VOLUME 53

- General Index
 Boreholes
 Chronostratigraphy
 Lithostratigraphy
 Localities
 Minerals
 New Taxa
- GENERAL**
- Airaphilus elongatus* 37
 Alston Block
 emplacement of Whin sheets 177–85
 Great Limestone stratigraphy 265–74
 mineralization 187–95
 silver-bearing galena 207–11
 archaeological studies 213–18
 Askrigg Block, Great Limestone stratigraphy 265–74
 bacterial activity, formation of black shales 231–5, 241
 biostratigraphy
 Jurassic, N Yorks. 5–14
 Jurassic–Cretaceous boundary, Terschelling Basin 275–302
 bioturbation, Great Limestone 269
 black shales 231–5
 Boldon Syncline 183
Bositra (*Posidonia*) 232
 Bouguer gravity anomaly surveys 257, 259–60, 263
 breccia pipes, E of Leeds 28–9
 breccias, Northern Marginal Zone, Rum 167–74
 brick manufacture 231
 firing experiments 221–9
 Bronze Age, Great Orme Mines 213–18
 Burtreeford Disturbance 178, 180, 181, 182–3
 calcareous organic mud, Ripon 31–9, 155
 calcareous tufa, River Ure gravels 155
 caldera collapses, Rum 170, 171–4
 cave systems, E of Leeds 28
Chaetetes sp. 265, 271
 chert nodules and bands, Great Limestone 267
 Cheviot Dome 182, 183
 clay mineralogy
 black shales 231–5
 brick-firing experiments 221–9
 clay minerals, preservation of fossils in 237–42
 Cleveland Basin 1–14, 17, 21, 157–8
 coalfield brines, and Alston Block mineralization 190–94
 coals, vitrinite reflectance, N Pennines 180–82
 Coleoptera, Holocene, Ripon 37–8
 contact metamorphism, Whin sheets 179–80
 copper mineralization, Great Orme Mine 213–18
 Craven Reef Belt, sponges 119–27
 crinoids, Great Limestone 271–2
 cross-bedding, Westphalian sandstones 51–4
 crush-leach analysis 189–91
 debris accumulation origins, Skiddaw upland 303–9
 deformation zone, Speeton 21–2
Dentalium giganteum Phillips 253–5
 Derbyshire Dome 257
Dibunophyllum spp. 73, 269
Diphyphyllum sp. 271
 dinoflagellate cysts 5–12, 137–41
 dolomitic limestones 25–9, 213–18, 262
 Drigg landfill site 139, 146
 dry valleys, E of Leeds 25–6
 DUNHAM, Ansel
 appreciation 161–2
 bibliography 163–5
 dykes as feeders for the Whin sheets 180
 East Midlands Shelf 17, 21, 22, 157, 158
 ENSOM, Paul, John Phillips medallist 248
 evaporite dissolution, E of Leeds 28, 29
 fault zone, Speeton 21–2
 faulting, Alston Block 189
 felsites, Northern Marginal Zone, Rum 167–74
 flamme, Rum 170, 171, 173, 174
 floodplain reconstruction, River Ure 31–9
 fluvial systems, Westphalian time 54–8
 folding, Late Carboniferous, N Pennines 182–4
 fracture zones, Speeton 21–2
 geochemical anomalies, Derbyshire 257–63
 geochemistry
 black shales 234
 Eycott Volcanic Group 86–91, 92–5
 Soom Shale 239
 supergene processes 201–5
Gigantoproductus sp. 269
 Gosforth Oscillation 131–2, 140, 147–8, 149–50
 GRAHAM, Alice Rosamund, Moore medallist 78
 Great Whin Dolerite Complex, emplacement 177–85
 gypsum dissolution/karst 25–9, 155
Halosphaeropsis liassica 7, 9, 11, 160
Haplistion spp. 121–5
 Haydon Bridge Orefield 191
Hindia spp. 120–21
 historical studies 207–11
 Holy Island Dyke, magnetic survey 111–18, 180
 Howardian–Flamborough Fault Zone 21–2
 industrial mineralogy 221–9, 231
 Irish Sea Basin 146–50
 isorenieratene 231, 232, 233
 Jurassic–Cretaceous boundary, Terschelling Basin, biostratigraphy 275–302
 karstification 25–30, 155
 kettlehole, infilled sediments, NE Northumberland 97–109
 land use, influence of karst on 29
Latiproductus sp. 269
Liasidium variabile 5, 9–10, 160
 Little Whin Sill 177–85
 Longstone Edge Anticline 197
Luehndea spinosa 7, 10, 11, 160
Macoma balthica 138, 149, 150
 macrofossils
 Great Limestone 265, 267, 269–71, 273
 Jurassic–Cretaceous boundary, Terschelling Basin 278–85
 preservation in clay minerals 237–42
 Madge Hill Anticline 261
 magnetic survey, Holy Island Dyke 111–18, 180
Mancodinium semitabulatum 5, 7, 10, 160
 Market Weighton Structure/High 17–23, 54, 157–8
Mendicodinium spp. 5, 7, 10, 160
 metamorphism of coals, N Pennines 180–82
Michrystidium spp. 5, 160
 microbialite frameworks, Craven Reef Belt 126–7
 microfossils, Sellafeld 138–9, 140, 141–4, 145
 mineralization
 Alston Block 187–95
 Great Orme copper 213–18
 Longstone Edge vein 197–206
 Snelston Ridge 259, 261–3
 mineralogy
 contact metamorphism of Whin sheets 179–80
 heavy mineral characterization of Westphalian sandstones 47–66
 Rum felsite 169
 see also clay mineralogy
 molluscs
 NE Northumberland 104–9
 Oxford Clay 232–3
 Ripon 36–7, 155
 Moore Medal 78, 248
 mudrocks, organic-rich 231–5
 Mutual Climatic Range (MCR) method 38
 Netherlands, Terschelling Basin 275–302
 nomenclature, sandstones 47, 60
 North Pennine Orefield
 mineralization 187–95
 silver-bearing galena 207–11
 North-east Wales Orefield 213–18
 Northumberland Trough 192, 194, 195
 obituaries
 Mills, David Audley Corbett 251–2
 Penny, Lewis Frederick 251
 Oceanic Anoxic Events (OAE) 11, 234
 ore genesis modelling, Alston Block 187–95
 ore provenancing 213–14
 ore-triage 215, 218
 organic-rich mudrocks 231–5
 ostracods
 NE Northumberland 106–9
 Ripon 38–9
 palaeocurrent data, Westphalian sandstones 51–70
 palaeoecology
 black shales 232–3
 Holocene, NE Northumberland 97–109
 Holocene River Ure, Ripon 38
 Palaeozoic corals 73
 Soom Shale 237–8
 palaeokarstic features, E of Leeds 28–9
 palaeontology
Dentalium giganteum Phillips 253–5
 Holocene, Ripon 33–9, 155–6
 Jurassic–Cretaceous boundary, Terschelling Basin 275–302
 preservation of fossils in clay minerals 237–42
 sponges 119–27

- palynology
 N Yorks. 5–14, 160
 NE Northumberland 99–104
 Ripon 33–9
 Sellafield 138–9, 140, 141–4, 145
 Terschelling Basin 275–96
 peat, Ure River floodplain 31–9, 155
 Pecllet number (Pe) 191, 192, 193, 195
 Pennine Basin 43–70
 Phillips Medal 248
 plant macrofossils, Ripon 35–6
 plant macroremains, NE Northumberland 98
PORTMAN, Clive William, Moore medallist 248
 prasinophytes, N Yorks. 5, 7, 9, 11
 proglacial lakes, Lower Wasdale 147–8
 Punch Bowl, Burton Salmon 26, 27
 radiometric dating 33, 98–9, 184–5, 188–9
 rare-earth elements, Eycott Volcanic Group 86
 “red horses”, Brotherton 29
 reef sponges, Lower Carboniferous 119–27
 rhyodacites (*formerly* breccias), Rum 167, 171–4
Rum Central Complex, Northern Marginal Zone felsites and breccias 167–74
 Scottish Readvance 131–2, 147, 148, 149, 150
 sea levels, Quaternary 148–9
 sediment transport systems, Westphalian time 54–8
 sedimentation rates, late Cretaceous 21–2, 157–8
 sedimentology, Soom Shale 239
 Sellafield district, Quaternary deposits 129–51
 serpulid worm tube (*Dentalium giganteum* Phillips) 253–5
 shales, black 231–5
 silver-bearing galena, N Pennine Orefield 207–11
 Skiddaw upland, slope-foot debris origins 303–9
 slope-foot debris origins, Skiddaw upland 303–9
 Snelston Ridge, evidence for 257–63
 Society Proceedings
 1999 75–9
 2000 245–9
Sollasia 126
 Sorby Medal 77–8
 South Africa, preservation of fossils in clay minerals 237–42
 South Pennine Orefield 197–206, 257
 sponges, Craven Reef Belt 119–27
 Stainmore Trough, Great Limestone stratigraphy 265–74
 stratigraphical framework, Quaternary, Sellafield 132–3
 stratigraphy
 Eycott Volcanic Group 81–5
 Great/Main Limestone 265–74
 Welton Formation 17–24, 157–8
 subsidence features, E of Leeds 25–30
 subsidence hollows, Ripon 155–6
 sulphur geochemistry, Oxford Clay 234
 supergene mineralization 197–206, 214–15, 216, 217
 Teesdale Dome 182, 183–4
 Terschelling Basin, Netherlands 275–302
 time–temperature–transformation (TTT) diagrams, brick-making 221–9
 trace element analyses, Eycott Volcanic Group 86–93
 tuffisites, Rum 170–71, 172, 173
 Ure River floodplain reconstruction 31–9, 155–6
 vitrinite reflectance, N Pennines 180–82
 Westphalian sandstones, provenance 43–70
 Whin Sill 111–18, 188, 189
WRIGHT, John Kenneth, Sorby medallist 77–8
 Zechstein Sea 193, 194

BOREHOLES
 Brown Moor 1, 4, 5–13
 Caldun Low 258, 261
 Duffield 261
 Dove Valley (Snelston) 261, 263
 Dutch North Sea wells L06–2 and L06–3 275–302
 Limestone Hill 1, 2 and 3 262, 263
 Ripon (BGS SE36 NW12) 31, 155
 Rookhope 177, 178, 184
 Sellafield district
 Aikbank Farm 1 135
 Aikbank Farm 2 135
 BNFL offsite C 135
 BNFL offsite D 134
 BNFL offsite E 135
 Nirex 10C 135
 QBH 1 134
 QBH 2A 134
 QBH 5 134
 QBH 6A 134
 QBH 7 134
 QBH 8 135
 QBH 11 135
 QBH 12 135
 QBH 13 134
 QBH 16 134
 QBH 20/20A 135
 QBH 24A 134
 Swindon Quarry, Cracoe 127
 Woodland 178

CHRONOSTRATIGRAPHY
 Carboniferous 43–70
 Late 177–85
 Lower (Dinantian) 197–206, 257–63
 Namurian 43, 54, 265–74
 Visean, Late 119–27
 Westphalian 43–70
 Cretaceous 17–23, 157–8, 275–302
 Devensian, Late 97–109, 129–50
 Dimlington Stadial 129, 149–50
 Holocene, Early 31–9, 97–109, 155–6
 Jurassic 1–14, 275–302
 Lateglacial Interstadial 97–109
 Loch Lomond Stadial 303, 307–8, 309
 Ordovician 81–95, 237–42
 Palaeocene 167–74
 Permian 25–30, 177–85, 187–95
 Pleistocene, Late 31–9
 Quaternary 129–51

LITHOSTRATIGRAPHY (newly defined names in bold type)
 48 Yard Rock 54, 63, 66, 70
 80 Yard Rock 54, 63, 66, 70
 Abdy Rock 61, 64, 68
 Ackton Rock 61, 64
 Ackworth Rock 61, 64
 Addingham Edge Grit 63, 66
 Aikbank Farm Glacigenic Formation 137, 139–40, 147
 Alum Shale Member 2–3, 13
 Badsworth Member 58, 61, 64, 67
 Barn Scar Sand & Silt Member 139, 146
 Barnsley Rock 61, 64, 68
 Barton Marl 21
Bempton Member 21
 Better Bed Coal 54
 Binsey Group 82
 Birstall Rock 62, 65, 68
 Bituminous Shales 3, 9
 Black Band 17, 18, 21, 158
Blaeberry Gill Gravel 137
 Blea Wyke Sandstone Formation 2
 Blelham Peat Formation 136
 Blengdale Glacigenic Formation 137, 144, 146
 Borrowdale Volcanic Group
 clasts 144, 145, 146
 compared with Eycott Volcanic Group 91–5
 Brierley Member 61, 64, 67
 Brocka Bank Grit 63, 66
 Brotherton Formation 25, 26, 29
Buckton Member 18, 21
 Burnham Formation 21, 157
 Cadeby Formation 25, 26, 27, 28
 Calcareous Shales 9, 13, 14, 160
 Carleton Hall Clay Member 138, 139, 145, 146
 Carleton Silt Formation 137, 138, 144–5
 Carrock Fell Complex 305, 307, 308–9
 Catgill Wood Sand & Gravel Member 146
 Cedarberg Formation 237–42
 Cement Shales 3
 Central Cumbria Drift Group 136, 137
 Chalk Group 17–23, 157–8
 Chalk Hill Marls 21
 Cleveland Ironstone Formation 1–2, 13
 Clifton Rock 50, 57, 62, 65, 68–9
 Coal Measures 43–70
 Cracoean reefs (Craven Reef Belt) 119–27
 Cressbrook Dale Lava 198, 199–200, 203
 Crigglestone Rock 57, 61, 64, 68
 Croxton Marl 21
 Dalton Rock 61, 64, 67
 Deepdale Flint 21
 Deepdale Lower and Upper Marls 21
 Dogger Formation 3–4, 9, 11–12
 Drigg Beach Till Member 141, 146–7
 Drigg Holme Sand Member 141, 147
 Drigg Moorside Silt Member 144, 147
 Drigg Point Sand Formation 137
 Drigg Till Formation 137–8, 144
 Edlington Formation 25, 26, 27, 28
 Ehen Alluvial Formation 136
 Ehen Valley Sand & Gravel Member 146
 Ehen Valley Silt Member 146
 Elland Flags 50, 54, 57, 63, 66, 69
Emley Rock 54, 60, 62, 65
 Eycott Volcanic Group 81–95
 Ferruginous Flint 21
 First Main Flint 21
 Fishgarth Wood Till Member 141–4, 146–7
 Flamborough Formation 157–8
 Flixton Member 17–21

- Frosterley Band 73
 Glannoventia Formation 137, 138–9, 145–6
 Glass Houghton Rock 57, 61, 64, 67
 Gosforth Glacigenic Formation 137, 140–44, 147
 Grasby Marl 21
 Great/Main Limestone 73, 265–74
 Green Croft Till Member 140, 147
 Greenmoor Rock 51, 54, 63, 65, 66, 69
 Grenoside Sandstone 54, 63, 65, 69
 Grey Shale Member 2, 3
 Haigh Moor Rock 61, 64, 68
 Hall Carleton Formation 136, 146
 Hall Farm Marl 21
 Hard Shales 3
 Haslingden Flags 50, 57, 63, 66
 High Ireby Group 82
 Holmeside Clay Member 140, 147
 Holmrook Till Member 137, 146
 Horbury Rock 57, 64, 61, 64, 68
 How Man Till 148
 Huntley Formation 262
 Jet Rock 3, 232
 Kent's Rock 64, 68
 Kinderscout Grits 50, 63, 66
Kirkburton Sandstone 54, 60, 62, 65, 69
 Kirkland Wood Sand & Gravel Member 140–41
 Kokoarrah Shelly Sand Member 138, 139, 145
 Lepton Edge Rock 57, 62, 65, 68
Linfit Sandstone 54, 60, 62, 65
 Low Wath Till 146
 Lowca Till 146
 Lowest Continuous Flint 21
 Loxley Edge Rock 54, 63, 66, 70
 Main Alum Shales 3
 Main Limestone Cherts 267–8
 Mainsgate Wood Sand & Gravel Member 140, 148
 Marchup Grit 50, 63, 66
 Maudsyke Till Member 137, 144
 Melbourn Rock 17–18, 21
 Melton Ross Marl 21
 Mexborough Rock 54, 57, 61, 64, 67
 Middle Limestone Group 111
 Middleton Grit 66
 Milldale Limestones 256, 262
 Millstone Grit Group 43, 50, 54
 Mulgrave Shale Member 3, 13, 160
 Newstead Rock 61, 64, 67
 Oaks Rock 57, 58, 61, 64, 67–8
 Overwater Formation 82, 83, 84–5
 Oxford Clay Formation 221–9, 231–5
 Parkgate Rock 62, 65, 68
 Peak Mudstone Member 3
 Peckmill Sand Member 144
 Peel Place Sand & Gravel Member 144, 148
 Peterborough Member 221, 231–5
 Posidonia Shale 231, 232
 Potts Ghyll Formation 85
 Ravenfield Rock 57, 61, 64, 67
 Ravenglass Till Member 139, 146
 Redcar Mudstone Formation 1–14, 160
 Ribby Marl 21
 Rothersyke Till 148
 Rough Rock 50, 63, 66
 Roxby Formation 25, 26, 29
 St Bees Sand & Gravel Member 148
 St Bees Till Member 148
 Scale Beck Till Member 137
 Scruff Greensand Formation 275–302
 Seascale Glacigenic Formation 137, 139
 Shafton Marine Band 58
 “shell marl” 26
 Siliceous Shales 9, 14, 160
 Silkstone Rock 57, 62, 65, 68
 Skiddaw Group 303–9
 Soft Bed Flags 54, 63, 66, 70
 Solway Drift Group 136–7
 Soom Shale 237–42
 Staithes Sandstone Formation 1, 13, 160, 253
 Stanningley Rock 63, 66
 Stewarty Member 222, 232, 233, 234
 Stubble Green Silt Member 138, 139, 145
Sub-Joan Sandstone 54, 60, 62, 65, 68
 Thick Stone 65
 Thornhill Rock 61, 64, 68
 Thornsill Till Formation 144
 Treeton Rock 61, 64
 Warwickshire Group 43–70
 Weardale Granite 187, 191, 193, 194
 Welton Formation 17–23, 157–8
 West Cumbria Drift Group 136, 137–44
 Weymouth Member 233, 234
 Wharcliffe Rock 54, 63, 66, 69–70
 Whinneyhill Coppice Clay Member 140, 146, 147
 Whitby Mudstone Formation 2–13, 160
 Wickersley Rock 61, 64, 67
 Widmerpool Formation 258
 Woodhouse Grit 50, 63, 64, 66
 Woodhouse Rock 61, 68
 Woolley Edge Rock 57, 58, 61, 64, 68
 Yarborough Marl 21
 Yellow Sandstone Member 3
- LOCALITIES**
- Aberford 25
 Arm o' Grain Valley 304–7, 308–9
 Bempton 21
 Binsey 82–3, 84, 86
 Birchwood Park 257–63
 Boggle Hole 14
 Bowscale Tarn 303, 308
 Brackenberry Wyke 13
 Brotherton 29
 Brownhill Vein 210
 Buckton 21
 Burton Salmon 26, 27, 155
 Caldbeck Fells 84, 85
 Capple Bank Quarry 272, 273
 Castle Chamber 253
 Cawden 121, 126
 Charleton Gill 84
 Cleve Beck 269
 Closehouse Mine 210
 Cowbar Nab 10, 13
 Cowsitts Veins 210
 Cracoe 120
 Craig Fawr 216
 Darrington 25, 27
 Downholme Quarry 272, 273
 Driffield 157
 Dry Pry Mine 210, 211
 Eller Beck 269
 Eycott Hill 83, 84, 86, 91
 Farnberry Mine 210
 Flamborough Head 21, 157, 158
 Grainsgill Valley 304–7, 308–9
 Great Orme 213–18
 Greystoke Park 84
 Groverake Vein 210
 Hags Vein 210
 Hewick Bridge 31
 Hiddenholes Mine 210
 High Hill 123, 126
 Highfield Hushes 210
 Holy Island 111–18
 Hudeshope Burn 272
 Hudgill Burn Mine 208, 210, 211
 Huggill Force 272, 273
 Jet Wyke 13
 Jump Down Bight 13
 Kexwith Beck 269
 Lamb Hill Quarry 272
 Langtoft Quarry 157
 Ledsham 26, 27
 Leech Bank 13
 Lilburn South Steads 97–109
 Limestone Hill 257–63
 Ling Thrang Cove 303–4, 307–8, 309
 Long Bight 13
 Longdale 305–7, 308–9
 Longstone Edge 197–206
 Lowthwaite Fell 84
 Micklefield 28
 Middlegrove Vein 210
 Newlandside Quarry 272
 Old Nab 13
 Ox Close Lock 31
 Port Mulgrave 4, 13
 Rail Hole Bight 13
 Ripon 31–9, 155–6
 Robin Hood's Bay 1, 4, 14
 Rum 167–74
 Saltwick Nab 13
 Selwicks Bay 21, 22
 Settlingstones Mine 191
 Sir John's Vein 208
 Speeton 17–23, 157–8
 Staithes 4, 134
 Stebden Hill 121, 126–7
 Stow Crag Mine 208, 210
 Swinden 125, 126
 Trough Scar 269
 Tynebottom Mine 209
 Wake Wood 28
 Washpool Crags Quarry 272
 Whitby 3, 4, 13
- MINERALS**
- acanthite 209, 218
 adularia 207
 albite 222
 alunite group 238
 amphibole 169
 anatase 222
 andalusite 180
 anglesite 197, 200, 201–5, 210
 anhydrite 25, 193, 225, 229
 anorthite 61–3, 172, 225, 227, 228
 apatite 47, 61–6, 91, 222, 238, 242
 aragonite 216, 222, 238, 242
 argentopentlandite 207, 209
 argentopyrite 207
 arsenides 207, 218
 azurite 216–17
 baryte 190, 193–4, 197–200, 207

- bismuthinite 207, 209
 bornite 217
 brochantite 216
 calcite 197, 215, 216, 217, 222, 223, 224, 238, 242
 carbonates 84, 189, 201
 cassiterite 207
 cerrusite 197, 200, 201–6, 207, 209, 210, 217
 chalcopyrite 190, 207, 209, 215, 216, 217, 218
 chlorite 61–3, 83, 84, 222, 223, 227–8
 chrome spinel 47–51, 61–6
 clinopyroxene 83, 84, 91
 cobaltite 217
 cordierite 180, 229
 covellite 215, 216
 cuprite 215, 216
 digenite 215, 216
 djurleite 216
 dolomite 215
 epidote 61–3, 83
 epsomite 190
 erythrite 217
 feldspars 169, 222, 223, 224, 228
 ferroaugite 169
 fluorite 189, 190, 193, 194, 197–205, 207, 259
 gahnite 61–3
 galena 197–206, 207, 217–18
 garnet 47–51, 61–6, 180
 gehlenite 227
 gersdorffite 217
 goethite 207, 216
 gypsum 25, 28
 halite 190, 191, 193, 194
 hematite 225, 229
 idocrase 180
 illite 189, 222, 223, 224, 228, 238
 kaolinite 222, 227, 229
 limonite 215, 216, 217, 218
 malachite 215, 216, 217, 218
 marcasite 207, 215, 216, 217
 melilite 224, 227–8, 229
 mica-illite 222, 223, 224, 229
 millerite 217
 molybdenum 232–3
 monazite 47–51, 61–6, 207
 mullite 227, 228, 229
 oligoclase 170
 olivine 83, 84, 91, 177, 178–9, 181, 182
 orthoclase 171
 orthopyroxene 83, 84, 91
 pigeonite 169
 plagioclase 83, 84, 91, 169, 170, 171, 173
 pyrrargite 209
 pyrite 204, 207, 216, 217, 218, 222, 233, 234, 239
 pyroxene 224, 228, 229
 pyrrhotite 190, 207, 229
 quartz 83, 169, 188, 193, 222, 223, 224
 rutile 61–6
 sericite 83
 siegenite 217
 smithsonite 210
 sphalerite 197, 207, 216
 spionkopite 215, 216, 217
 staurolite 61–6
 stephanite 209
 sternbergite 209
 sulphantimonides 209
 sulpharsenides 207
 sulphates 194, 201–2, 206
 sulphides 209, 215, 217, 218
 sylvite 190
 tennantite 217
 tenorite 215, 216
 tourmaline 47, 61–6
 uranium 232
 vanadium 232
 witherite 209
 wollastonite 180, 225
 xenotime 207
 zircon 47–51, 61–6, 90–91
- NEW TAXA** (all new species unless stated otherwise)
- Gochteodinia procera* sp. nov. 300–301
Haplistion mega sp. nov. 125
Nannoceratopsis symmetrica sp. nov. 12
Praetollia sp. nov. **C** [M], early form? 300
Sollasia ramosa sp. nov. 12

Instruction to authors

The *Proceedings of the Yorkshire Geological Society* is a biannual publication that caters for original research papers on all aspects of geology. Emphasis is placed on (i) papers relating to the geology of the north of England (but including aspects of more than local interest) and (ii) papers of general geological interest. Papers should be between 3000 and 15 000 words in length, including references (a full printed page consists of c. 1000 words). Longer contributions should not be submitted without prior consultation with the Editors. Review papers are normally published by invitation only, but ideas for a review paper may be submitted to the Editors for assessment by the Publications Committee.

1. SUBMISSION OF PAPERS

Papers are welcome from Society members and non-members alike. They are accepted on the understanding that they have not been published elsewhere and authors are asked to assign copyright to the Yorkshire Geological Society. *Three complete copies* of papers should be submitted to the Editors, **Proceedings of the Yorkshire Geological Society, Geological Society Publishing House, Unit 7, Brassmill Enterprise Centre, Brassmill Lane, Bath BA1 3JN, UK**. The *Proceedings* is now set from disk and authors should consult the 'Notes for electronic text preparation' available from the Production Editor. Authors may also find it helpful to consult the Royal Society's booklet, *General Notes on the Preparation of Scientific Papers* (revised edn, 1974).

Typescripts should be in their final form, and should be arranged according to the layout used in the latest issue of the *Proceedings*. Typescripts that deviate excessively from the standard layout will be returned to the authors for modification. Copies of all illustrations should be at anticipated final publication size and of sufficient quality to allow proper assessment of their composition and reproducibility. Copies of half-tones *must* be photographic prints not photocopies. One set of camera-ready photographic prints of all line drawings should be submitted with the revised manuscript; these should be at final publication size (see 2.6). Originals of line drawings will be requested only in exceptional circumstances. Referees are appointed to assess the papers, and the author will be informed of the decisions reached. In multi-authored works, correspondence will be with the first-named author unless otherwise arranged. Proofs will be sent directly to the author who must read and correct them, returning them to the Editors. Prompt attention to proofs is essential.

2. PREPARATION OF PAPERS

2.1. Typescripts

Typescripts should be double-spaced throughout (including references and figure captions), with each page numbered serially; A4 size is preferred. The typescripts should be arranged as follows:

1. Title, which should be concise yet informative.
2. Name(s) and full postal address(es) of author(s).
3. Summary. This should not exceed 250 words, and should be a self-contained summary of the main achievements of the paper (without references) and not a mere statement of the scope and contents of the paper.
4. Main text. This should be organized according to the system of headings described in section 2.2.
5. Appendices, if necessary.
6. References (see section 2.5).
7. Tables, each on a separate sheet, together with its caption.
8. List of figure captions.

2.2. Headings

Four grades of headings are normally used in the *Proceedings*:

1. FIRST-ORDER HEADING

1.1. Second-order heading. Text follows on next line.

1.1.1. Third-order heading. Text follows on next line.

Fourth-order heading. Text follows on same line.

In certain circumstances (e.g. where there are frequent short sections) it may be decided to vary this arrangement. The *introductory* section should not be numbered: the heading 'Introduction' may, for clarity, be used on the typescript, although it will not be used in the printed paper. The first line of the first paragraph following each

heading should begin at the left-hand margin (no indent).

2.3. Systematic palaeontology

The layout for palaeontological systematics should follow the conventions adopted by the Palaeontographical Society. Examples of house style may be found in Volume 49, part 4.

2.4. Systematic lithostratigraphy

Any new lithostratigraphic terms should be rigorously defined to conform to the various codes for lithostratigraphic nomenclature. Examples of house style may be found in previous volumes (from Vol. 45 onwards), e.g. Vol. 48, pp.124–136, 389–390, 447–452.

2.5. References

All references cited in text and captions must appear in the list, and vice versa. The accuracy of references is the responsibility of the authors. Within the text, the citation should be name and date: Young & Bird (1822) or (Young & Bird 1822) depending on context. Where the reference has three or more authors, the text citation should be first-named author *et al.* Periodical titles should be quoted in full, and follow the wording on the title sheet. Where indication of the country or region of origin would assist in the identification of the periodical, additional wording should be included: e.g. *Journal of the Geological Society, London*. Accents should be included in all foreign book and serial titles. Postgraduate theses are treated as published books.

ARKELL, W. J. 1933. *The Jurassic System in Great Britain*. Clarendon, Oxford.

BLACK, M. 1934. Sedimentation of the Aalenian rocks of Yorkshire. *Proceedings of the Yorkshire Geological Society*, **22**, 265–279.

DUNHAM, K. C. 1974. Epigenetic minerals. In: RAYNER, D. H. & HEMINGWAY, J. E. (eds) *The Geology and Mineral Resources of Yorkshire. Yorkshire Geological Society Occasional Publication*, **2**, 293–308 (or, if the source of the book is quoted more than twice: In: RAYNER, D. H. & HEMINGWAY, J. E. (eds) *Q.v.*, 293–308.)

FOX-STRANGWAYS, C. & BARROW, G. 1882. *The Geology of the Country between Whitby and Scarborough* (2nd edition). Memoir of the Geological Survey of Great Britain, England and Wales, Sheets 35, 44.

GEORGE, T. N. 1969. British Dinantian stratigraphy. In: *Compte Rendu du 6^{me} Congrès International de Stratigraphie et de Géologie du Carbonifère, Sheffield 1967, Volume 1*, 193–218.

HARRIS, A. L., HOLLAND, C. H. & LEAKE, B. E. (eds) 1979. *The Caledonides of the British Isles – Reviewed*. Geological Society, London, Special Publications, **8**.

TROTTER, F. M. & HOLLINGWORTH, S. E. 1928. The Alston Block. *Geological Magazine*, **65**, 433–448.

2.6. Illustrations

Illustrations should be prepared to column width of 85 mm, intermediate width 110 mm (printed with caption in 50 mm-wide block alongside) or page width of 176 mm. The printed page height is 250 mm. The caption will be placed beneath a full-page illustration and the height of the latter should be reduced accordingly. Authors proposing to include coloured figures are advised to consult the Editors; these are very expensive to produce and authors may be asked to bear the costs.

Lettering should be no less than 1 mm high after reduction. Half-tone illustrations should be high-quality glossy prints with good contrast. Magnification should be indicated by means of a scale bar on the photograph or, if this is not possible, in the figure caption. All half-tone illustrations are referred to as Figures, not Plates. In composite illustrations the individual photographs should be labelled 1, 2, 3, etc. or A, B, C, etc. Where possible, labels should be on the photographs, not in the space between.

3. OFFPRINTS

25 free offprints per paper are provided: additional copies may be purchased and should be ordered at page proof stage.

Acknowledgement. Some figures published in the *Proceedings* display the National Grid, taken from the Ordnance Survey map with the permission of the Controller of Her Majesty's Stationery Office.

PROCEEDINGS OF THE Yorkshire Geological Society

VOLUME 53 PART 4 NOVEMBER 2001

CONTENTS


	page
J. D. Cornwell, J. P. Busby, T. B. Colman, G. E. Norton and N. J. P. Smith The Snelston Ridge: evidence for a concealed ridge of mineralized Dinantian rocks to the south of the Derbyshire Dome	257
R. A. Fairbairn The stratigraphy of the Namurian Great/Main Limestone on the Alston Block, Stainmore Trough and Askrigg Block of northern England	265
O. A. Abbink, J. H. Calloman, J. B. Riding, P. D. B. Williams and A. Wolfard Biostratigraphy of Jurassic–Cretaceous boundary strata in the Terschelling Basin, The Netherlands	275
R. Clark and P. Wilson Origin of some slope-foot debris accumulations in the Skiddaw upland, northern Lake District	303
Index to Volume 53	311

Abstracted and/or indexed in *Current Contents*, *GeoArchive*, *Geobase*, *GeoRef*, *Geological Abstracts*, *Mineralogical Abstracts*, *Research Alert* and *Science Citation Index Expanded (SCIE)*

Typeset by Type Study, Scarborough, North Yorkshire YO13 0HG

Printed on acid-free paper at Henry Ling Ltd., The Dorset Press, Dorchester, Dorset DT1 1HD, UK

Price £40.00



0044-0604(200111)53:4;1-U