

INDEX TO VOLUME XXIV

- Addlethorpe Grit, 354, 403.
Agastrioceras carinatum, 134, 212, 366.
 Aldborough, 247.
 ALEXANDER, G. B., on Dovedale and the Manifold valley, 172.
 Alport, 389.
 Alston, mineralisation, 328; succession, 265.
 Anhydrite, Billingham, 22; Permian, 325.
Anthracoceras, discoides, 348; *glabrum*, 348; *paucilobum*, 278, 350; *vanderbecki* group, 212, 351.
Anthracomya, bellula, 212, 214, 365; *lenisulcata*, 134, 214, 365; *modiolaris*, 314; *prisca*, 214.
Anthraconauta cf. minima, 135, 366.
 Arkengarthdale, 259.
Arvicola, Sewerby, 143.
 Ashop valley, 389.
 Ashover, 390.
Astarte vallisneriana, 326.
- Backstone Beck, Ilkley, 405.
 Balance Sheet, Yorkshire Geological Society, 1938, 19; 1939, 168; 1940, 240.
 Balby, 176.
 Barmouth, preglacial surfaces, 40.
 Barnoldswick, 173, 252.
 Basement Clays, 142, 219.
 Baxter, L. R., *in mem.*, 73.
 Beardwood Hall, 416.
 Benches, valley, 76, 153.
 Bentham Grit, 400.
 Berwick Limestone, 345.
Beyrichoceras spp., 253.
 BISAT, W. S. on older and newer drift in East Yorkshire, 137; on Hessle, 169; (with J. A. Dell) on the occurrence of a bed containing moss in the boulder clays of Dimlington, 219; on Keighley, 236; (with R. G. S. Hudson) on the Lower *Reticuloceras* (R₁) goniatite succession in the Namurian of the north of England, 383.
 Bishopton, 248.
 Black Bank Syke, 400.
 Black Scout, 396.
- Blackburn, 397; preglacial surfaces, 50.
 Blue Clays, glacial, 190.
 Borrowdale rocks as xenoliths, 225.
 Bottom Beck, 403.
 Boulder clay, 99, 101, 137, 190, 219.
 Bowland Shales, 252, 345.
 Bradford, boring, 129, 206.
 Bramhope Grits, 402.
 Brandon Grit, 363.
 Brierton, 99.
 Brocka Bank Grit, 351.
 Butts Beck, 254.
 Buxton, 170.
- Caldbeck-Carrook ores, 331.
 Caley Crags Grit, 356, 402.
 Carbonate rock at Threlkeld, 232.
Carbonicola, acutella, 214; *aquilina*, 214, 313; *communis*, 314; *elliptica*, 214; *fallax*, 135, 214; *haberghamensis*, 135, 215; *lenicurvata*, 133, 135, 365; *limax*, 214; *obliqua*, 215; *os-lancis*, 314; *ovalis*, 214, 314; *phrygiana*, 214; *protea*, 135, 214; *pseudoacuta*, 365; *recta*, 135, 214, 365; *regularis*, 214; *turgida*, 313.
Carcinophyllinae, subfam. nov., 374.
Carcinophyllum, 374.
 Cardigan, pre-glacial surfaces, 35.
 Carlton Moor, 402.
 Caton Shales, 399.
 Cayton Gill Beds, 354, 403.
 Centenary, Yorkshire Geological Society, 1.
 Chee Tor Beds, 62, 171.
 Cheshire plain, preglacial surfaces, 47.
 Chevin, Otley, 356, 401.
 Cheviot, erratics, 185.
 Chlorite, vermicular, 333.
 Clapham Grit group, 399.
 Cleveland, Western, 22; North, 181.
 Cliffs of Moher, 406.
 Coal, 48-yd., 136; Brockwell, 315; Busty, 315; Hard Bed, 135; Hard Bed Band, 135; Middle Band, 135, 217; Morton Banks, 361; Pot Clay, 134, 213; Rivoock Edge, 133; Soft Bed, 135, 214.
 Cone-in-cone, 270.

- Conglomerate, basal Permian, 313.
 Conisborough, 176.
 COPE, F. W., on the mid-Viséan (S₂-D₁) succession in North Derbyshire and North-west England, 61; on N. Derbyshire, 170.
 Copper ores, 332.
Corbicula, in drift, 139.
 Cordierite, 336.
 Corries, 77, 153.
 Cowdale Clough, 254.
 Craven Lowlands, 373.
Cravenoceras, *cowlingense*, 279, 349; *edalense*, 348; *fragile*, 350; *holmesi*, 348; *leion*, 345; *malhamense*, 345; *stellarum*, 349; *subplicatum*, 348.
Cravenoceratoides, gen. nov., 282.
 Criccieth, preglacial surfaces, 40.
 Crimsworth Dean, 352, 395.
 Crow, Limestones, 258; Cherts, 258.
Cryptophyllum caryophyllum, 378.
 Cumberland, preglacial surfaces, 53.
Cyathaxonella, 375.
 Cycles of erosion, 76, 152.
Cyprina islandica, 142.
Cypris sp., 220.
Cyrtina septosa band, 63, 140.
- Darlington, 100.
 Darwen River, 397.
 DAVIES, W., on a boring in the Millstone Grit Series at Hallam Head, Sheffield, 241.
Daviesiella beds, N. Derbyshire, 60, 170.
 DELL, J. A., see W. S. Bisat.
Dentalium sorbyi, 327.
 Derbyshire, North, Mid-Viséan succession, 60, 170; goniatite succession, 388.
 Derwent, River, 390; river-terraces, 245.
 Dimlington, boulder clay, 139, 219.
Dimorphoceras, *complex*, sp. n., 117; diagnosis, 103; *discrepans*, 106; distribution, 127; *gilbertsoni*, 105; *inflatum* sp. n., 116; *kathleeni*, 105; *kenyoni*, 107; *looneyi*, 106, 357; *marioni* sp. n., 120; *plicatilis* sp. n., 122; *politum*, 125; *pseudodiscrepans* sp. n., 112; *ribblense*, 107; *saleswheelense* sp. n., 118, 350; *splendidum*, 107, 350; *varians* sp. n., 113; *wiswellense* sp. n., 115.
 Dolomite, at Threlkeld, 234; Permian, 313.
 Dovedale, 172.
 Dovey Estuary, preglacial surfaces, 37.
- Drab Clays, Holderness, 137, 218.
 Drift, East Yorkshire, 137; High-level, 145.
 Dublin Plain, preglacial surfaces, 32.
 DUNNINGTON, H. V., see R. G. S. Hudson.
- East Carlton Grits, 209, 361.
 Eccup, 357, 403.
 Edale, 355, 388; Shales, 388.
 Edge Marine Band, 348.
 EDWARDS, WILFRID, see J. V. Stephens.
 Eldroth Grit, 400.
 Elk skeleton, 100, 199.
 Epidote in xenoliths, 226.
 Erosion, glacial, 91; integral, 91; river, 90.
 Erosion surfaces, pre-glacial, 31; residual, 76, 152.
 Erratics, glacial, 140, 181.
Eumophoceras, *bisulcatum*, 348; *ornatum*, 357, 387; *proteum*, 398; *pseudobilingue*, 345; stage, 345.
Euphemus, 277, 357.
Euryphyllum, 310.
 Ewood Clough marine band, 394.
- Fairweather Green, 206.
 Field Meeting Reports, Barnoldswick, 173; Billingham and Western Cleveland, 22; Conisborough and Balby, 176; Hessle, 169; Ingleborough, 8; Keighley, 236; Kirmington, Limber, Melton Ross and Elsham, 20; Leeds to Ingleton, 7; Lothersdale, 169; Market Weighton, 21; North Derbyshire, 170; Nostell and Heath Common, 20; Runswick Bay, 237; Todmorden, 24; Wensleydale, 9; Whitwell and Garrowby, 174.
 Filey, boulder clay, 139.
Filograna permiana, 327.
 Firestone Sill, 265.
 Flamborough, boulder clay, 139.
 Fluvial erosion, 90.
 Follifoot, Ridge Grits, 351; Grits, 403.
 Furness, preglacial surfaces, 53.
- Ganister, Mirk Fell, 259.
 Garnets, in xenoliths, 225.
 Garrowby, 174.
Gastrioceras, *cancellatum*, 133, 212, 243, 365; *carbonarium*, 135, 213; *crencellatum*, 133, 366; *crenulatum*, 212, 367; *cumbriense*, 133, 212, 243, 366; *listeri*, 135, 367; *retorsum*,

- Gastrioceras*—continued
 214; *ruræ*, 134, 212, 366; *sigma*, 133, 212, 241; Stage, 345; *subcrenatum*, 213.
 Gevelsburg, 352.
 Gilligan, A., *in mem.*, 177.
Girtyoceras spp., 253.
 Glacial, abrasion, 93, 182; drifts, 137, 180; East Yorkshire periods, 181; erosion, 91; erratics, 99, 140, 181; overflows, 185; trough, 94.
 Glauconite, 287.
 Goniatite zones, 344, 386.
Goniatites spp., 103, 252.
 Grainsgill ores, 340.
 Gravels, river, 247.
 Gray Crag erosion surface, 86.
 Greta, R., 400.
 Gribdale Gate, glacial drainage, 186.
 Grindslow Shales, 388.
 Grindstone Sill, 269.
 Guiseley Grit, 24, 131, 364.
- Hackness Quarries, 26.
 Hallam Head, Sheffield, 239.
 Harker, A., *in mem.*, 73.
 Hartlepool, borings, 313.
 Haworth, 358.
 Heath Common, 20.
 Heeley Clough, 395.
 HEMMINGWAY, J. E., *on* Western Cleveland, 22; (with H. C. Versey) *on* Whitwell and Garrowby, 174; *see* R. H. Rastall.
 Heron Pike erosion surface, 86, 155.
 Hessle, 169; drift, 147.
Hettonia, 374.
 High Green Wood, 411.
 High Street erosion surface, 86, 153.
 Higher Clough, 254.
 Hilston, boulder clay, 139.
 Holden Beck, 236, 402.
 Holderness Drifts, 137, 219.
 Holme-upon-Spalding Moor, 245.
 HOLMES, J., *on* Lothersdale, 169.
Homoceras, *beyrichianum*, 351; *diadema*, 351; *eastriolatum*, 352, 405; *henkei*, 236, 355, 406; *proteum*, 361; *smithi*, 403; *spiraloïdes* sp. n., 407; stage, 345; *striolatum*, 355, 407; *subglobosum*, 351; *undulatum*, 351, 408.
Homoceratoides, *divaricatum*, 126, 134, 351; *jacksoni*, 126; *mutabile* sp. n., 410; *prereticulatum*, 236, 355, 410; *varicatum*, 355, 409.
 Hope valley, 388.
 Howgill Fells, 52.
 Huddersfield White Rock, 131, 242, 364.
 HUDSON, R. G. S., *on* Wensleydale, 9; *in mem.* H. E. Wroot, 71; (and H. V. Dunnington) *on* a boring in the Lower Coal Measures and Millstone Grit at Bradford, 129; *in mem.* A. Gilligan, 177; (and H. V. Dunnington) *on* a borehole section in the Carboniferous at Fairweather Green, Bradford, 206; *on* the Mirk Fell Beds (Namurian, E₂) of Tan Hill, Yorkshire, 259; *on* the Carboniferous corals: *Zaphrentis carruthersi* sp. nov. from the Mirk Fell Beds and its relation to the *Z. delanouei* species-group, 270; *on* the Carboniferous corals: *Rylstonia benecompacta* var. *brevisepta* var. n., 373; *see* W. S. Bisat.
 Humber, Lake, 200.
 Hunmanby, boulder clay, 139.
Hypnum in boulder clay, 219.
 Hypsometric curve, Pennine slope, 49.
 Ilkley, 405.
 Ingleborough, 8.
 Ingleton, 399.
 Irish Sea, pre-glacial erosion surfaces around, 31.
 Ironstones, Mirk Fell, 259.
 Jacobs Wood, Silsden, 402.
 Keighley, 236; boring, 357, 397.
 Kelsey Hill, gravel, 139.
 Kent, River, 84.
 Kettleiness, 237.
 Kettlepot Coal and Ganister, 263.
 Kinderscout Grit, 352; Group, 383; Main, 392; Upper, 390.
 Kirmington, 20; glacial silts, 139.
 Kirkstone erosion surface, 85, 157.
 Knickpoints, 77.
 Knott Coppy Grit, 400.
 Lake District, erosion surfaces, 83, 152; erratics, 181; ice, 184; mineralisation, 328.
 Lake, glacial, 188.
 Laminated clay, 190.
 Lancashire plain, pre-glacial surfaces, 50.
 Langfield Edge, 395.
 Lava, Derbyshire, 61, 170.
 Lead ore, 335.
Leda speluncaria, 326.
 Leven, preglacial valley, 184.

- Lias, 238.
 Limber, 20.
Lingula, 133, 209, 242, 314.
Listracanthus, 350.
 Little Limestone, 257.
 Lleyn peninsula, pre-glacial surfaces, 41.
Lonsdaleiidae, 374.
 Longnor Grit, 390.
 Lothersdale, 169.
 Loughrigg erosion surface, 85, 158.
 Lumbutts Clough, 355, 392.
 Lumb Clough, 401.
 Lune, R., 152.
Lyrogoniatites, 256.

 Magnesian Limestone, 313.
 Mam Tor Sandstones, 388.
 Manifold Valley, 173, 391.
 Mappleton, boulder clay, 139.
 Marchup Grit, 348; marine band, 348.
 Marine bands, 386.
 Market Weighton, 21.
 Marl Slate, 313.
 Marton, glaciation, 188.
 Mawddach Valley, pre-glacial surfaces, 38.
 McCONNELL, R. B., *on* residual erosion surfaces in mountain ranges, 76; *on* the relic surfaces of the Howgill Fells, 152.
 Meanwood, Sandstone, 131.
 MELMORE, S., *on* Market Weighton, 21; *on* the river terraces of the Ouse and Derwent, 245.
 Melton Ross, 20.
 Metamorphism, 337.
 Metasomatism, 234.
 Microgranite, 223.
 Middle Grit Group, 359.
 Middleton Grit, 351.
 MILLER, A. A. *on* pre-glacial erosion surfaces round the Irish Sea Basin, 31.
 Millers Dale Beds, 63, 171.
 MITCHELL, G. H., *on* Leeds to Ingleton, 7; *on* Nostell and Heath Common, 20; *see* J. V. Stephens.
 Mirk Fell Beds, 259.
 MOORE, E. W. J., *on* the goniatite genus *Dimorphoceras* and its development in the British Carboniferous, 103; *on* Barnoldswick, 173; *on* sections in the Bowland Shales west of Barnoldswick, 252.
 Moss, in boulder clay, 219.

Naiadites, 313.
 Namurian, 132, 259, 383.

Neoglyphioceras, 256.
 Neasham, 100.
 Nesfield Sandstone, 350.
 Newer drift, 137.
 North-West Province, Viséan, 60.
 Nostell, 20.
Nucula tateiana, 326.
Nuculana stilla, 209, 357.
Nuculoceras nuculum, 350.
Nuculopsis gibbosa, 275, 357.

 Older drift, 137.
 Ontogeny, coral, 295, 376.
 Oolitic drift, 147.
 Ore deposits, Lake District, 328.
 Ostracods, in boulder clay, 220.
 Otley Shell Bed, 356, 402.
 Ouse river terraces, 245.
 Outwood marine band, 396.
 Overflow channels, 148, 185.

Paragoniatites spp., 256.
 Parkwood brickworks, Keighley, 236.
 Parsonage Sandstone, 397.
 Paul Clough, 395.
 Peat, Todmorden, 165.
 Pembroke, pre-glacial surfaces, 35.
 Pen-y-cae, 406.
 Pendle Grit, 252; Grit Group, 385; Water, 397.
 Pendleside Grit, 252.
 Peneplane, 79, 155; pre-glacial, 32.
 Pennine Drift, 140, 191.
 PHILLIPS, D. W., *on* microscopical evidence of shearing in argillaceous rocks, 66.
 Phosphatic nodules, 269.
 Plane of marine abrasion, 32.
 Plumpton Grit, 356, 403.
 Ponden Clough, 358, 436.
 Poolscar Wood, 355, 402.
Posidonia, 133, 211, 350.
Posidoniella, 33, 209, 350.
 Pot Clay Coal, 213.
Pronorites spp., 254.
Pterinopecten, 134, 211, 354.
 Purple Clays, Holderness, 137.

 Quartz-chlorite veins, 333.
 Quartz-felsite, 223.
 Quartzites, in drift, 146.

 RADGE, G. W., *on* the glaciation of North Cleveland, 180.
 RASTALL, R. H. R., *in mem.* A. Harker, 73; *on* xenoliths at Threlkeld, Cumberland, 223; *on* a carbonate rock at Threlkeld, Cumberland, 232; (with J. E. Hemingway) *on*

- RASTALL, R. H. R.—continued.**
 Runswick Bay, 237; on the ore deposits of the Skiddaw district, 328.
 Ravenscar gravels, 147.
 Red boulder clay, 192.
 Red Screes erosion surfaces, 86, 156.
 Reefs, Permian, 320.
 Residual erosion surfaces, 76, 153.
Reticuloceras, spp., 133, 209, 240, 355, 361, 383, 411; Stage, 345, 383; zones, 352, 386.
 Rhinoceros bone, 99.
Rhopalolasma, 373; *tachyblastum*, 379.
 Ribble valley, pre-glacial surfaces, 50.
 Ribston, 249.
 Ringinglow Coal, 242.
 Rivelin Grit, 241.
 River, capture, 88, 157; drainage systems, 161; erosion, 91; profiles, 90, 159; terraces, 245.
 Roddymoor boring, 266.
 Rombalds Moor, 344, 402.
 Roseberry Topping, glaciation, 187.
 Rough Lee, 352, 399.
 Rough Rock, 367; Flags, 134, 212, 367; Group, 385; Shales, 133.
 Runswick Bay, 237.
Rylstonia, 375; *benecompecta*, 375; var *brevisepta* var. n., 373.

 Saanenmoser river capture, 88.
 Sabden Shales, 383.
 Saddleworth, 391.
Sagittoceras, 252.
 Samlesbury, 355, 397.
 Scandinavian Drift, 191.
Schizostoma, 278.
 Scrayingham, 247.
 Sedimentation, Mirk Fell Beds, 285.
 Sewerby, pre-glacial beach, 143.
 Shale Grit, 388.
 Shearing in argillaceous rocks, 67.
 Sheen Grit, 390.
 Sheffield, 239.
 SHEPPARD, T., on William Smith and the Hackness quarries, 26.
 Shewbroad marine band, 393.
 SHILLITO, C. F. B., on Kirmington, Limber, Melton Ross and Elsham, 20.
 Sicklinghall bore, 354, 403.
 Siderite, spherulites, 211; rock, 274.
 Silsden, 410; Moor Grits, 348.
 Silver Hills Grit, 400.
 Skiddaw, ore deposits, 328; slate xenoliths, 230.
 Skipton Moor Grits, 345.
 Slaidburn, 8.

 Smith, William, 26.
 Spittle Clough, 395.
 Speeton gravels, 147.
 Spofforth Haggs, 354, 403.
 Spurs, bevelled, 92, 153.
 Staithes, 238.
 Stamford Bridge, 247.
 STEPHENS, J. V. (with others), on the faunal divisions of the Millstone Grit Series of Rombalds Moor and neighbourhood, 344.
 St. John's Vale, 223.
 Storris House, Otley, 355, 402.
 STUBBLEFIELD, C. J., see J. V. Stephens.
 Sub-Kinderscout Beds, 429.
Sudeticeras spp., 252.
 Summit planes, 153.
 SUTCLIFFE, F., on Todmorden, 24; on a boring through peat at Todmorden, 165.
 Swinden Limestone, 373.
 Swint Clough, 389.
Syringaxon, 379.

 Tan Hill, 259.
 Tees, glaciation, 180.
Tellina balthica, 142, 187.
 Ten Fathom Grit, 259.
 Terraces, 125 ft., 25 ft., 10 ft., 244.
 Thalstufen, 76.
 Thixendale Sands, 144.
 Thorpe Bulmer, boring, 315.
 Threlkeld, 223, 232; ores, 339.
 Throstle Nest, Silsden, 348.
 Todmorden, 2, 165, 355, 391; Grit, 392; Shales, 392.
 Tourmaline in xenoliths, 227.
Tragos tunstallensis, 327.
 TRECHMANN, C. T., on a rhinoceros bone from Brierton, near West Hartlepool, 99; on a skeleton of elk from Neasham near Darlington, 100; on borings in the Permian and Coal Measures around Hartlepool, 313.
 Trough, glacial, 94.
 Troutbeck erosion surface, 84, 159.

 Valley, basins, 88; benches, 76, 153; dead, 92; hanging, 76; rejuvenation, 77; steps, 82.
 VERSEY, H. C., on the History of the Yorkshire Geological Society, 1838-1938, 11; in *mem.* L. R. Baxter, 73; on Conisborough and Balby, 176; see J. E. Hemingway.
 Viséan succession, 61.

- Wear, Lake, 200.
 Weeton Shales, 349.
 Weets Hill, 252.
 Wensleydale, 9.
 West Hartlepool, 99, 319.
 Westfield Mill boring, 402.
 Westphalian, 132.
 Wetherby, 249.
 Wexford, pre-glacial surfaces, 32.
 Whitby, 239.
 Whitwell, 174.
 Wicklow, pre-glacial surfaces, 32.
 Wike Whin, 358.
 WILCOCKSON, W. H., on Ingleborough, 8.
 Wolds, high-level drift, 144.
 Woodhouse Grit, 362.
 Woodhouse, Todmorden, 24, 392.
 Wroot, H. E., *in mem.*, 71.
 Wye valley, 171; Viséan, 60.
 Wyke boring, 355.
 Xenocrysts, 225.
 Xenoliths, Threlkeld, 223.
 Yeadon bore, 357, 402.
 Yoredale Series, 259.
 York, drifts in Vale of, 140.
 Yorkshire Geological Society, Accounts, 1938, 19; 1939, 168; 1940, 240; Annual Report, 1938, 17; 1939, 166; 1940, 235; Centenary, 1; Field Meetings, 1, 20, 169, 236; History, 10; List of Members, v.
Zaphrentis, *A* cf. *Syringaxon*, 379; *amplexoides*, 171; *brevisepta* nom. nov., 294; *carruthersi* sp. nov., 299; *constricta*, 292; *delanouei*, 291; *densa*, 379; *disjuncta*, 293; *parallela*, 292; *precarruthersi* sp. nov., 299; *pseudoparallela* nom. nov., 293.
Zaphrentites gen. nov., 309.
 Zinc ores, 335.
 Zones, *Reticuloceras*, 386.
Zygopleura, 278.